



National Defence

Défense nationale

National Defence Headquarters
Ottawa, Ontario
K1A 0K2

Quartier général de la Défense nationale
Ottawa (Ontario)
K1A 0K2

**SOLICITATION AMENDMENT /
MODIFICATION DE L'INVITATION**

**RETURN BIDS TO /
RETOURNER LES SOUMISSIONS À:**

Director Services Contracting 3 (D Svcs C 3) /
Direction des contrats de service 3 (DC Svc 3)
Attention: Joanne Dubeau
By e-mail to / Par courriel :
Joanne.Dubeau@forces.gc.ca

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes

Comments – Commentaires

Title / Titre Pharmacy Refrigerators	
Solicitation No. / N° de l'invitation W6369-23-A083	Amendment No. / N° de la modification 002
Date of Amendment / Date de la modification December 1 2023	
Address Enquiries to / Adresser toutes questions à: Att: Joanne Dubeau Department of National Defence Director Services Contracting (D Svcs C 3) 101 Colonel By Drive Ottawa, Ontario K1A 0K2 Email: joanne.dubeau@forces.gc.ca	
Telephone No. / N° de téléphone	FAX No. / N° de fax
Destination Department of National Defence Central Medical Equipment Depot 105 Montgomery Rd, Bldg: BB-104A Garrison Petawawa Petawawa ON K8H 2X3	

Instructions: Municipal taxes are not applicable. Unless otherwise specified herein all prices quoted must include all applicable Canadian customs duties, GST/HST, excise taxes and are to be delivered Delivery Duty Paid including all delivery charges to destination(s) as indicated. The amount of the Goods and Services Tax/Harmonized Sales Tax is to be shown as a separate item.

Instructions : Les taxes municipales ne s'appliquent pas. Sauf indication contraire, les prix indiqués doivent comprendre les droits de douane canadiens, la TPS/TVH et la taxe d'accise. Les biens doivent être livrés « rendu droits acquittés », tous frais de livraison compris, à la ou aux destinations indiquées. Le montant de la taxe sur les produits et services/taxe de vente harmonisée doit être indiqué séparément.

<p>Solicitation Closes / L'invitation prend fin:</p> <p>At / à:</p> <p>02:00 PM Eastern Daylight Time (EDT)</p> <p>On / le:</p> <p>11 December 2023</p>

Delivery Required / Livraison exigée	Delivery Offered / Livraison proposée
Vendor Name and Address / Raison sociale et adresse du fournisseur	
Name and title of person authorized to sign on behalf of vendor (type or print) / Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'imprimerie)	
Name – Nom _____ Title – Titre _____	
Signature _____ Date _____	



AMENDMENT 2 TO SOLICITATION NUMBER W6369-23-A083 IS RAISED TO:

1. Amend MTC 5.1 on page 18/39.
2. Amend ANNEX A – Requirement, Section: 4.1.6 Internal Features, on page 33/39.
3. Amend ANNEX A – Requirement, Section: 4.1.7 Technical Data, on page 33/39.
4. Amend ANNEX A – Requirement, Section: 4.2.5 Internal Features, on page 34/39.
5. Amend ANNEX A – Requirement, Section: 4.2.6 Technical Data, on page 34/39.
6. Amend ANNEX A – Requirement, Section: 4.3.5 Internal Features, on page 35/39.
7. Amend ANNEX A – Requirement, Section: 4.3.6 Technical Data, on page 35/39.
8. Extend the solicitation closing date by one (1) week from 04 December 2023 to 11 December 2023.

SOLICITATION NUMBER W6369-23-A083 IS HEREBY AMENDED AS FOLLOWS:

1. Amend MTC 5.1 on page 18/39

DELETE MTC 5.1 on page 18/39 in its entirety, and replace with the following:

MTC5.1	<p>The Bidder must provide their company product catalogue, manual or pamphlet to demonstrate that their proposed Double Door, Single Door and Under Counter Pharmacy Refrigerators have the following specification:</p> <p>Temperature adjustable from plus two degrees Celcius (+2oC) to plus eight degrees Celcius (+8oC) with temperature pre-set to plus four degrees Celcius (+4oC) or plus five degrees Celcius (+5oC).</p>	
---------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

2. Amend ANNEX A – Requirement, Section: 4.1.6 Internal Features, on page 33/39

DELETE ANNEX A – Requirement, Section: 4.1.6 Internal Features, on page 33/39 in its entirety, and replace with the following:

4.1.6	Internal features	<p>Must display refrigerator temperature, either digitally or through a factory-installed seven (7) day inkless chart recorder with battery backup in the event of a power failure. Battery backup must provide power for a minimum of two hours.</p> <p>Must include remote alarm contacts</p>
--------------	-------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

3. Amend ANNEX A – Requirement, Section: 4.1.7 Technical Data, on page 33/39

DELETE ANNEX A – Requirement, Section: 4.1.7 Technical Data, on page 33/39. in its entirety, and replace with the following:



4.1.7	Technical Data	Must have an internal temperature range which includes plus two degrees Celcius (+2°C) to plus eight degrees Celcius (+8°C) with temperature pre-set to plus four degrees Celcius (+4°C) or plus five degrees Celcius (+5°C).
		Must be able to operate when the ambient temperature is between plus fifteen degrees Celcius (+15°C) to plus thirty-five degrees Celcius (+35°C).
		Must have automatic defrost functions.
		All Pharmacy Refrigerators with a digital display must have a microprocessor controller capable of monitoring in one degree Celsius increments
		Must be equipped with audible and visual alarms for the following conditions: a. High and low temperature; b. Door ajar; c. Power fail; and d. Alarm Test.
		Must have a keyed security lock for power, temperature and alarm settings.
		Must have an internal Light-Emitting Diode (LED) light which either turns on and off automatically as the door is opened and closed or has a switch which allows the operator to turn the light on/off.

4. Amend ANNEX A – Requirement, Section: 4.2.5 Internal Features, on page 34/39

DELETE ANNEX A – Requirement, Section: 4.2.5 Internal Features, on page 34/39 in its entirety, and replace with the following:

4.2.5	Internal features	Must display refrigerator temperature, either digitally or through a factory-installed seven (7) day inkless chart recorder with battery backup in the event of a power failure. Battery backup must provide power for a minimum of two hours.
		Must include remote alarm contacts.

5. Amend ANNEX A – Requirement, Section: 4.2.6 Technical Data, on page 34/39

DELETE ANNEX A – Requirement, Section: 4.2.6 Technical Data, on page 34/39 in its entirety, and replace with the following:

4.2.6	Technical Data	Must have an internal temperature range which includes plus two degrees Celcius (+2°C) to plus eight degrees Celcius (+8°C) with temperature pre-set to plus four degrees Celcius (+4°C) or plus five degrees Celcius (+5°C).
		Must be able to operate when the ambient temperature is between plus fifteen degrees Celcius (+15°C) to plus thirty-five degrees Celcius (+35°C).
		Must have automatic defrost functions.



		All Pharmacy Refrigerators with a digital display must have a microprocessor controller capable of monitoring in one degree Celsius increments.
		Must be equipped with audible and visual alarms for the following conditions: a. High and low temperature; b. Door ajar; c. Power fail; and d. Alarm Test.
		Must have a keyed security lock for power, temperature and alarm settings.
		Must have an internal LED light which either turns on and off automatically as the door is opened and closed or has a switch which allows the operator to turn the light on/off.

6. Amend ANNEX A – Requirement, Section: 4.3.5 Internal Features, on page 35/39

DELETE ANNEX A – Requirement, Section: 4.3.5 Internal Features, on page 35/39 in its entirety, and replace with the following:

4.3.5	Internal features	Must display refrigerator temperature, either digitally or through a factory-installed seven (7) day inkless chart recorder with battery backup in the event of a power failure. Battery backup must provide power for a minimum of two hours.
		Must include remote alarm contacts.

7. Amend ANNEX A – Requirement, Section: 4.3.6 Technical Data, on page 35/39

DELETE ANNEX A – Requirement, Section: 4.3.6 Technical Data, on page 35/39 in its entirety, and replace with the following:

4.3.6	Technical Data	Must have an internal temperature range which includes plus two degrees Celcius (+2°C) to plus eight degrees Celcius (+8°C) with temperature pre-set to plus four degrees Celcius (+4°C) or plus five degrees Celcius (+5°C).
		Must be able to operate when the ambient temperature is between plus fifteen degrees Celcius (+15°C) to plus thirty-five degrees Celcius (+35°C).
		Must have automatic defrost functions.
		All Pharmacy Refrigerators with a digital display must have a microprocessor controller capable of monitoring in one degree Celsius increments
		Must be equipped with audible and visual alarms for the following conditions: a. High and low temperature; b. Door ajar;



National Defence

Défense nationale

National Defence Headquarters
Ottawa, Ontario
K1A 0K2

Quartier général de la Défense nationale
Ottawa (Ontario)
K1A 0K2

		c. Power fail; and d. Alarm Test.
		Must have a keyed security lock for power, temperature and alarm settings.
		Must have an internal LED light which either turns on and off automatically as the door is opened and closed or has a switch which allows the operator to turn the light on/off.

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME.