Public Works and



Travaux publics et **Government Services** Services gouvernementaux Canada

RETURN BIDS TO:

Canada

RETOURNER LES SOUMISSIONS À:

See Section 1.

Voir Section 1.

STANDARD REQUEST FOR BID

INVITATION À SOUMISSIONNER - STANDARD

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indigués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No N° de la demande	Amendment No N° de modification
Supplier SA No N° de l'AMA de fournisseur : E60PQ-140003/	

File No N° de dossier

Canada

No of Page/

N° de page 24

Date of Solicitation - Date de la demande

October 16, 2023

Address inquiries to - Adresser toute demande de renseignement à :

See Section 2, Article 4.1.

Voir Section 2, Article 4.1

Destination

See Section 2, Annex A.

Voir Section 2, Annexe A.

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadians funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse d	lu fournisseur
Telephone No N° de téléphone	
Facsimile No N° de télécopieur	
Name and title of person authorized to sign on (type or print)	behalf of supplier
Nom et titre de la personne autorisée à signer a (caractère d'impression)	au nom du fournisseur
Signature : Date :	

TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 - Resulting Contract including a list of required goods and services

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement? No.

Step 2. 🛛 Competitive or 🗌 Non-Competitive

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

Canada will assess bids and award one contract for the combined categories included in this solicitation.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information <u>AFTER</u> bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 - 1. a current published price list indicating the percentage discount available to Canada; or
 - 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 - 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 - 4. any other supporting documentation as requested by Canada.

For Non-Competitive Requirements:

The Bidder must provide the following information <u>WITH</u> the bid:

- One or more of the following price justifications:
 - 1. a current published price list indicating the percentage discount available to Canada; or
 - 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 - 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 - 4. any other supporting documentation as requested by Canada.

Step 3. General or PSIB

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information <u>WITH</u> the bid:

• The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

Security Requirement:

1. Conditions:

the Bidder and the Bidder's proposed individuals must respect the security requirement as indicated in Annex B and at section 2.1.

- For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Program of Public Works and Government Services Canada (<u>http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html</u>) website.
- The conditions in article 1 above must be met by the Bidder: Before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
- 4. Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.a. The Bidder's valid VOS clearance number issued by CISD;
 - b. The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

Bid Evaluation

An evaluation team composed of representatives of Canada will evaluate the bids.

RFB Issued to:					
Supplier Name and Address: (City, Province)					
Contact:					
- Name:					
- Telephone Number:					
- E-mail:					
RFB Issued by:					
Identified User's (IU)	See Section 2, article 4.1 below.				
Department/Agency/Crown Corporation:					
Contact for this RFB:					
RFB Closing - Submit Bid: Bids must be submitt	ted on the date and at the time indicated be	low.			
By no later than date and time:	October 27, 2023, at 2 pm EDT				
To e-mail address:	solicitation-demandedesoumission@cn	<u>sc-ccsn.gc.ca</u>			
RFB Enquiries:					
Unless a different period is listed in the adjacent column, Bidders may submit enquires 2 business days					
about the RFB to the Contracting Authority two	about the RFB to the Contracting Authority two business days prior to the RFB closing				
date. Enquiries received after the timeline indic	date. Enquiries received after the timeline indicated may not be answered.				

SECTION 2 - RESULTING CONTRACT CLAUSES

1. Terms and Conditions of the Contract								
	The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form							
	part of this Contract.							
2.	Secu	urity Requirement (the checked article a	ipplies)					
2.1			e) set out in the Security Requirement Check List attached as Annex B of this					
	con		urity requirements by meeting the terms below.					
	а.		session of security clearance not required.					
			NTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED					
		-	thout an escort provided by the department or agency for which the work is					
		being performed.	· · · ·					
	b.	Possession of security clearance(s						
			surity clearance requirements contained in the clausing in Annex B herein.					
	С.	There is no security requirement	associated with this contract.					
3.		uirement						
3.1	The	Contractor must perform the Work liste	d in Annex A herein.					
4.	Aut	horities						
4.1	Con	tracting Authority (IU)						
	Nan	ne:	Janie Latouche					
	Title	9:	Contracting specialist					
	Dep	artment/Agency/Crown Corporation:	Canadian Nuclear Safety Commission (CNSC)					
	Address:		280 Slater st. Ottawa, ON					
	Telephone No.:		-					
		ail address:	solicitation-demandedesoumission@cnsc-ccsn.gc.ca					
4.2	-	ject Authority [To be completed at contr						
			ive of the department or agency for whom the Work is being carried out					
			o approve the authority to proceed for delivery and installation and is chnical content of the Work under the Contract.					
	In a	ddition. the PA is also responsible for ens	suring that the Supplier's employees and subcontractors requiring access to					
			Supplier to access the site to deliver and install the furniture in accordance					
			al Contractor (a representative of Canada or a service provider(s) under					
	con	tract with the Government of Canada).						
	Nan	ne:	[To be completed at contract award]					
	Title	2:	[To be completed at contract award]					
	Dep	partment/Agency/Crown Corporation:	[To be completed at contract award]					
	Add	lress:	[To be completed at contract award]					
	Tele	ephone No.:	[To be completed at contract award]					
	E-mail address:		[To be completed at contract award]					
4.3		tractor's Representative						
	-	As set out in Annex A, Table 9 below.						
5.	Method of Payment							
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be							
	used in conjunction with the following.							
	X Single Payment							
<u> </u>		Multiple Payment						
6.	-	bicing	document the Contractor will deliver the eviding load and ever fill					
		Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the						
	invo	invoice to the following address for certification and payment:						

equipment utilized by site personnel.

	Name of the organization and contact: [To be completed at contract award]				
	Address: [To be completed at contract award]				
7.	SACC Manual Clauses				
Sup	plemental General Conditions:				
SAC	C Clause D0018C (2007-11-30) Delivery and Unloading:				
	Delivery trucks must be equipped with an unloading device which will permit unloading at sites with no hydraulic, stationary or other type of unloading facility.				
	2. When making deliveries, sufficient personnel must be provided to permit unloading of any type of vehicle without the assistance of federal government personnel.				
3.					

ANNEX A REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

Category 1

Category 2

Category 5

* Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

Solicitation # 5000076955

The requirement includes the following category (ies) of work
a. Category 1 – Interconnecting Panels and Freestanding Systems
Category 1a – Interconnecting Panels (Refer to Annex C)
Category 1b – Supporting components and freestanding furniture
RULE: Metal Storage
Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.
b. 🔀 Category 2 – Freestanding Height Adjustable Desk / Table Products
c. 🗌 Category 3 – Metal Filing and Storage Cabinets
Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)
d. 🗌 Category 4 – Wood Veneer – Freestanding Products
e. 🔀 Category 5 – Ancillary and Lighting Products
f. 🗌 Category 6 - Support Space – Collaborative Furniture
RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.
The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. NSA Product(s) – Category(ies): N/A

2. Product and Pricing Tables

<u>Site Inspection Date:</u> To be coordinated with Project Authority after contract award. (*Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.*)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.

Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing. In a resulting contract, the term "Bid" means the Supplier's commitment, the term "Bidder" means "Contractor".

Product Categories: 1, 2 & 5

Table 1 – Product Table

	Se	ection A - IU REQUIREMENT	Section B – SUPPLIER'S BID				
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
	Category 1A						
1	Refer to Typicals Package and	Floor Plans					\$
	Category 1B						
2	1bFFHREN24L60WNOLNY	Tag: 1B.1Fixed Height Work Surface1524mm x 609mm (60" x 24")	12	No		\$	\$
3	1bFFHREL24L60WNOLNY	Tag: 1B.2 Fixed Height Work Surface 1524mm x 609mm (60" x 24")	1	No		\$	\$
4	1bSPBMCAA1524XXYKXX	Tag: 1B.3 Mobile Box/File Pedestal	17	No		\$	\$
	Category 2						
5	2WSSREXXL24L48BELXX	Tag: 2AIndividual Height AdjustableWork Surface1219mm x 609mm (48" X 24")	13	No		\$	\$
6	2WSSREXXL30L60BELXX	Tag: 2B Individual Height Adjustable Work Surface 1524mm x 762mm (60" X 30")	2	No		\$	\$
7	2WSSREXXL30L72BELXX	Tag: 2CIndividual Height AdjustableWork Surface1829mm x 762mm (72" X 30")	2	No		\$	\$
	Category 5						
8	5PMOWKSMTACPWRXXXXX	Tag: 5A Power Module Must Have 4 Simplex and 2 USB Ports		Yes		\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT						UPPLIER'S BID
Product Item # from Table 1	Location		Desired Date** (YYYY-MM- DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	Category 1A Panels				: weeks Standard Lead time is	\$
2	<u>Tag 1B.1</u> Qty: 12				between 6-10 weeks for furniture delivery and installation.	
3	<u>Tag 1B.2</u> Qty: 1					
4	<u>Tag 1B.3</u> Qty: 17	3484 Limebank Rd.	Week of December 18, 2023.			
5	<u>Tag 2A</u> Qty: 13	Gloucester, ON, K1V 1E1	Specific date to be provided by	Normal		
6	<u>Tag 2B</u> Qty: 2		Project Authority			
7	<u>Tag 2C</u> Qty: 2					
8	<u>Tag 5A</u> Qty: 17					
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$	

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location		Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	Category 1A Panels				: weeks from date of supply and delivery	\$
2	<u>Tag 1B.1</u> Qty: 12				Standard Lead time is between 6-10 weeks	
3	<u>Tag 1B.2</u> Qty: 1				for furniture delivery and installation.	
4	<u>Tag 1B.3</u> Qty: 17	3484 Limebank	Week of December 18,			
5	<u>Tag 2A</u> Qty: 13	Rd. Gloucester, ON, K1V 1E1	2023. Specific date to be provided by	Normal		
6	<u>Tag 2B</u> Qty: 2		Project Authority			
7	<u>Tag 2C</u> Qty: 2					
8	<u>Tag 5A</u> Qty: 17					
**The Proj the finalize	ject Authority (PA) v ed installation date er. Canada will not l		plier the authority ration the installati	to proceed prior to on time provided by to proceed without	Installation Total:	\$

Table 4 – Optional Product

Not Applicable

 Table 5 – Optional Delivery
 Not Applicable

 Table 6 – Optional Installation
 X
 Not Applicable

1.	Standard Finishes						
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.						
		s days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's ach of the product(s) in Annex A.					
	This choices for ea						
		deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be					
	applied to Canada.						
2 .		to Accommodate the Delivery					
		ees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in n effect in the jurisdiction where the work is being performed.					
	the list of employees a	he contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in bed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.					
2.1	Loading Dock/Locat	tion					
Α	Location	3484 Limebank Road, Ottawa, ON K1V 1E1					
В	Dock	Ground Floor					
С	Lift	Truck will need a lift gate					
D	Door	Overhead door is approx. 8'h x 10'w					
Е	Freight Elevator	No elevator. Work is done on the ground floor.					
F	Other (specify, if any)						
3.	Continuance of Cer	tifications					
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.						
Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the User.							
	Integrity Provisions						
3.1	integrity Frovisions	Federal Contractor's Program for Employment Equity					
3.1 3.2	° ,	s Program for Employment Equity					
	° ,						

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4) (Applicable if Option is exercised)	\$N/A
5	Optional Delivery Total (Table 5) (Applicable if Option is exercised)	\$ N/A
6	Optional Installation Total (Table 6) (<i>Applicable if Option is exercised</i>)	\$ N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA (<i>if Applicable</i>)	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7) [to be removed at contract award]	\$
9	Contract Price(1 + 2 + 3 + 7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9 + 10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract					
	Name:	Telephone:				
		E-Mail:				
		PBN:				
		Ariba #:				

ANNEX B SECURITY REQUIREMENTS

The security requirements set out in the attached Security Requirements Check List (SRCL) and in the terms below apply to and form part of the Contract.

- 1. The Contractor and/or its personnel MUST NOT have access to PROTECTED and/or CLASSIFIED information or assets.
- 2. The Contractor and/or its personnel MUST NOT have unescorted access to Canadian Nuclear Safety Commission facilities and/or restricted access areas.
- 3. The Contractor must comply with the provisions of the Security Requirement Check List attached to this Contract as Annex B, below:



Government of Canada Gouvernement du Canada

5000070355	Contract Number / Numéro du contrat 5000076955	
Security Classification / Classification de sécurité Unclassified		

SECURITY REQUIREMENTS CHECK LIST (SRCL) LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A			
1. Originating Government Department or Organization	on / CNSC	2. Branch or Directorate / Direction géne	érale ou Direction
Ministère ou organisme gouvernemental d'origine		CFAD	
3. a) Subcontract Number / Numéro du contrat de sou	us-traitance 3. b) Name and Addres	ss of Subcontractor / Nom et adresse du	sous-traitant
4. Brief Description of Work / Brève description du tra	vail		
Supply and install system furnit	ure		
5. a) Will the supplier require access to Controlled Go	ods?		No Yes
Le fournisseur aura-t-il accès à des marchandis			Non Oui
5. b) Will the supplier require access to unclassified r		ons of the Technical Data Control	
Regulations?	military teeninear data subject to the provisio	Shi of the rechnical Data Control	
Le fournisseur aura-t-il accès à des données teo	chniques militaires non classifiées qui sont a	assujetties aux dispositions du Règlemer	
sur le contrôle des données techniques?	· ·	,	
Indicate the type of access required / Indiquer le type	/pe d'accès requis		
6. a) Will the supplier and its employees require acce	ss to PROTECTED and/or CLASSIFIED in	formation or assets?	No Yes
Le fournisseur ainsi que les employés auront-ils			Non Oui
(Specify the level of access using the chart in Q			
(Préciser le niveau d'accès en utilisant le tablea			
6. b) Will the supplier and its employees (e.g. cleaner PROTECTED and/or CLASSIFIED information of		to restricted access areas? No access to	
Le fournisseur et ses employés (p. ex. nettoyeu		dos zonos d'accès restreintes? L'accès	
à des renseignements ou à des biens PROTÉG		Tues zones d'acces restrennes? E acces	
6. c) Is this a commercial courier or delivery requirem			No Yes
S'agit-il d'un contrat de messagerie ou de livrais	on commerciale sans entreposage de nuit	?	👗 Non 🔛 Oui
7. a) Indicate the type of information that the supplier	will be required to access / Indiquer le type	e d'information auquel le fournisseur devr	a avoir accès
Canada	NATO / OTAN	Foreign / Étrange	
7. b) Release restrictions / Restrictions relatives à la		н	
No release restrictions	All NATO countries	No release restrictions	
Aucune restriction relative	Tous les pays de l'OTAN	Aucune restriction relative à la diffusion	
Not releasable			
À ne pas diffuser			
Restricted to: / Limité à :	Restricted to: / Limité à :	Restricted to: / Limité à :	
Specify country(ies): / Préciser le(s) pays :	Specify country(ies): / Préciser le(s) pays	s : Specify country(ies): / Préc	iser le(s) pays :
7. c) Level of information / Niveau d'information			
PROTECTED A	NATO UNCLASSIFIED	1 PROTECTED A	
PROTÉGÉ A	NATO NON CLASSIFIÉ	PROTÉGÉ A	
PROTECTED B	NATO RESTRICTED	1 PROTECTED B	
PROTÉGÉ B	NATO DIFFUSION RESTREINTE	PROTÉGÉ B	
PROTECTED C	NATO CONFIDENTIAL	PROTECTED C	
PROTÉGÉ C	NATO CONFIDENTIEL	PROTÉGÉ C	
CONFIDENTIAL	NATO SECRET	CONFIDENTIAL	
	NATO SECRET	CONFIDENTIEL	
SECRET	COSMIC TOP SECRET	SECRET	
SECRET	COSMIC TRÈS SECRET	SECRET	
TOP SECRET		TOP SECRET	
TRÈS SECRET		TRÈS SECRET	
TOP SECRET (SIGINT)		TOP SECRET (SIGINT)	
TRÈS SECRET (SIGINT)		TRÈS SECRET (SIGINT)	

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité



- 1	Government	Gouvernement		Contract	t Number / Numéro du cor	ntrat	
*	of Canada	du Canada		5000076	955		
				Security Class	sification / Classification d	e sécurité	
	inued) / PARTIE /						
Le fournisse	ur aura-t-il accès	à des renseignement	id/or CLASSIFIED COMSE s ou à des biens COMSEC	désignés PROTÉGÉS et/ou (CLASSIFIÉS?	No Yes Non Oui	
	ate the level of ser	nsitivity: niveau de sensibilité :					
9. Will the supp	olier require acces	s to extremely sensiti	ve INFOSEC information o		1.0	No Yes	
				de nature extrêmement délica	ate?	X Non Oui	
) of material / Titre lumber / Numéro (e(s) abrégé(s) du mat du document ⁻	ériel :				
PART B - PER	SONNEL (SUPPL	IER) / PARTIE B - P	ERSONNEL (FOURNISSE				
10. a) Personn	el security screeni	ing level required / Ni	veau de contrôle de la sécu	urite du personnel requis			
	RELIABILITY ST		CONFIDENTIAL	SECRET SECRET	TOP SECE TRÈS SEC		
	TOP SECRET-					OP SECRET	
	TRÈS SECRET		NATO CONFIDENTIE			RÈS SECRET	
	SITE ACCESS ACCÈS AUX EN	IPLACEMENTS					
	Special commen	ts:					
	Commentaires s						
	NOTE: If multiple	lovels of screening o	re identified a Security Clas	cification Quido must be provide	ad		
	REMARQUE	i plusieurs niveaux de	e contrôle de sécurité sont i	sification Guide must be provide requis, un guide de classificati		fourni.	
		el be used for portions ation sécuritaire peut	s of the work? -il se voir confier des partie	es du travail?		No Yes Non X Oui	
		rsonnel be escorted?	a so von connor dos paras				
Dans l'at	ffirmative, le perso	onnel en question ser	a-t-il escorté?			Non X Oui	
			MESURES DE PROTECT	ION (FOURNISSEUR)			
INFORMATIC	ON / ASSETS /	RENSEIGNEMENT	S / BIENS				
11. a) Will the	supplier be require	ed to receive and stor	e PROTECTED and/or CL	ASSIFIED information or asse	ts on its site or	No Yes	
	premises? Le fournisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou						
CLASSI			reposer sur place des rens	eignements ou des biens FRC			
11. b) Will the	supplier be require	ed to safeguard COM	SEC information or assets	?		No Yes	
			nseignements ou des biens			X Non Oui	
PRODUCTIO	N						
		· · • •	d/or modification) of PROTE	CTED and/or CLASSIFIED ma	terial or equipment	No Yes	
Les insta			a production (fabrication et/o	u réparation et/ou modification)	de matériel PROTÉGÉ	X Non Oui	
et/ou CL	ASSIFIÉ?						
INFORMATIO	N TECHNOLOGY	(IT) MEDIA / SUP	PORT RELATIF À LA TEC	HNOLOGIE DE L'INFORMATI	ON (TI)		
	upplier be required on or data?	I to use its IT systems	to electronically process, pro	oduce or store PROTECTED ar	nd/or CLASSIFIED	x Non Yes Oui	
Le fourni	isseur sera-t-il tenu			ir traiter, produire ou stocker éle	ctroniquement des		
renseign	ements ou des dor	nnées PROTÉGÉS et/	OU CLASSIFIES?				
				ernment department or agency?		X No Yes	
	ra-t-on d'un lien éle ementale?	ctronique entre le syst	tème informatique du fournis	seur et celui du ministère ou de	e l'agence	Non Oui	
3-2-34							
TBS/SCT 350	0-103(2004/12)		Security Classification / C	Classification de sécurité		A	
						Canadä	



Government Gouvernement du Canada

Contract Number / Numéro du contrat

5000076955

Security Classification / Classification de sécurité Unclassfied

PART C - (continued) / PARTIE C - (suite)

For users completing the form **manually** use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire **manuellement** doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form **online** (via the Internet), the summary chart is automatically populated by your responses to previous questions. Dans le cas des utilisateurs qui remplissent le formulaire **en ligne** (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

	Category PROTECTED CLASSIFIED Catégorie PROTÉGÉ CLASSIFIÉ					NATO						COMSEC					
		A	в	с	CONFIDENTIAL	SECRET	TOP SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO Secret	COSMIC TOP SECRET		OTÉGÉ		CONFIDENTIAL	SECRET	TOP SECRET
					CONFIDENTIEL		Très Secret	NATO DIFFUSION Restreinte	NATO CONFIDENTIEL		COSMIC TRÈS SECRET	A	В	С	CONFIDENTIEL		TRES SECRET
	Information / Assets																
	Renseignements / Biens Production		-	-													
	rioddeaon																
	IT Media / Support TI																
	IT Link /																
l	Lien électronique																
1	2. a) Is the descrip La description If Yes, classify Dans l'affirma « Classificatio	du f y th itive	trava is fo e, cla	ail vis orm k assif	é par la prése by annotating ier le présent	nte LVER the top a formulai	S est-elle Ind botto re en indi	de nature Pl m in the are iquant le niv	ROTÉGÉE et/ a entitled "Se	ou CLAS curity Cl	assificati		ée		[X No Non	Yes Oui
1	12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED? La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉ?								Yes Oui								
	If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments). Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces iointes).																

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité

Canadä

ANNEX C FLOOR PLAN(S)

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders *must provide*:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).As a minimum the product listing must include the following information:
 - Supplier part numbers including NSA products forming part of this category;
 brief product descriptions;
 quantities;
 firm unit prices
- c) Bidders must provide a <u>stackable panel system</u> that consists of a Base panel with the required add-on module(s) as defined in the panel matrix of this requirement.
 - ***** Products from categories other than Category 1a shown on floor plan are for information purposes only *****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

*At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf floor plan, at ATTACHMENT 1 to ANNEX C

2) Panel Details

- a. All required panel heights: Seated Privacy Add-on Height;
- b. When power is required, the power is located as per the Workstation Typicals Package*; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered. *Refer to ATTACHMENT 2 to ANNEX C
- c. Type of power feed : Base feed
- d. Component System Accessories:
 - 1. Panel mounted accessories integrated into the panel frame will be shown on the floor plan Accessories attached to the panel separately must be specified. (Accessory rails, tackable surfaces, whiteboards,...)
 - 2. When Accessory rails are required, the accessories must be specified: a paper sorter, a tray, a bin, a telephone holder (etc.) (refer to full SA specifications for the information).

3) Panel Matrix or Workstation Layout

See attached Panel Matrix or Workstation layout at ATTACHMENT 2 & ATTACHMENT 3 to ANNEX C


a. Panel Matrix

Refer to Categories 1, 2 and 5 Typicals Package for Panel Matrix at ATTACHMENT 3 to ANNEX C

b. Workstation Layout(s)

Refer to Categories 1, 2 and 5 Typicals Package for workstation layout at ATTACHMENT 2 to ANNEX C, and ATTACHMENT 1 to ANNEX C floor plans.

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more typical workstation types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to typical workstation, refer to Data Sheet for finish.**
- Should one typical workstation identify power and the other does not power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.




ATTACHMENT 1 to ANNEX C Floor Plans

ATTACHMENT 2 to ANNEX C Workstation Layout

Fixed Workstation (TYP.1):

Plan:




Fixed Workstation (TYP.1) Consists of,

Tag	Description						
Categ	ory 1A – Panels						
Refer	Refer to Floor Plans						
Categ	ory 1B – Supporting Components and Freestanding Furniture						
1B.1	Fixed Height Rectangular Work Surface, Panel Mounted Width: 1524mm (60") Depth: 609mm (24") Finish: Laminate, Square Edge						
1B.3	Pedestal File Width: 381mm (15") Depth:609mm (24") Finish: Painted Metal						
Categ	ory 2 – Free Standing Height Adjustable Surfaces						
2A	Individual Height Adjustable Work Surface, Electric, Rectangular, No Privacy Screen Width: 1168mm (46") Depth: 609mm (24") Surface: Laminate, Square Edge						
Categ	ory 5 – Accessories						
5A	Power Module, 4 Simplex and 2 USB Ports Work Surface Mounted						
Electr	ical Legend						
	Duplex Power Outlet						
Phone/Data Receptacle							

Fixed Workstation (TYP.2):

Plan:




Fixed Workstation (TYP.2) Consists of,

Tag	Description				
Categ	ory 1A – Panels				
Refer	to Floor Plans				
Categ	ory 1B – Supporting Components and Freestanding Furniture				
1B.1	Fixed Height Rectangular Work Surface, Panel Mounted Width: 1524mm (60") Depth: 609mm (24") Finish: Laminate, Square Edge				
1B.3	Pedestal File Width: 381mm (15") Depth:609mm (24") Finish: Laminate				
Categ	ory 2 – Free Standing Height Adjustable Surfaces				
2A	A Individual Height Adjustable Work Surface, Electric, Rectangular, No Privacy Screen Width: 1168mm (46") Depth: 609mm (24") Surface: Laminate, Square Edge				
Categ	ory 5 – Accessories				
5A	Power Module 4 Simplex and 2 USB Ports				
Electr	ical Legend				
	Duplex Power Outlet				
	7 Phone/Data Receptacle				

Fixed Workstation (TYP.3):

Plan:




Fixed Workstation (TYP.3) Consists of,

TINEU	vvorkstation (TYP.3) Consists of,				
Tag	scription				
Categ	ory 1A – Panels				
Refer	to Floor Plans				
Categ	ory 1B – Supporting Components and Freestanding Furniture				
1B.3	Pedestal File Width: 381mm (15") Depth:609mm (24") Finish: Laminate				
Categ	ory 2 – Free Standing Height Adjustable Surfaces				
2B	Individual Height Adjustable Work Surface, Electric, Rectangular, No Privacy Screen Width: 1524mm (60") Depth: 762mm (30") Surface: Laminate, Square Edge				
Categ	Category 5 – Accessories				
5A	5A Power Module, 4 Simplex and 2 USB Ports Work Surface Mounted				
Electr	ical Legend				
	Duplex Power Outlet				
	7 Phone/Data Receptacle				

Fixed Workstation (TYP.4):

Plan:




Fixed Workstation (TYP. 4) Consists of,

TIXOU	workstation (TTP: 4) Consists of,				
Tag	escription				
Categ	ory 1A – Panels				
Refer	to Floor Plans				
Categ	ory 1B – Supporting Components and Freestanding Furniture				
1B.3	Pedestal File Width: 381mm (15") Depth:609mm (24") Finish: Laminate				
Categ	ory 2 – Free Standing Height Adjustable Surfaces				
2B	Individual Height Adjustable Work Surface, Electric, Rectangular, No Privacy Screen Width: 1524mm (60") Depth: 762mm (30") Surface: Laminate, Square Edge				
Categ	ory 5 – Accessories				
5A	5A Power Module, 4 Simplex and 2 USB Ports Work Surface Mounted				
Electr	ical Legend				
	Duplex Power Outlet				
V	7 Phone/Data Receptacle				

Freestanding Workstation (TYP.6):

Plan:



Freestanding Workstation (TYP.6) Consists of,

Tag	Description					
Categ	ory 1B – Supporting Components and Freestanding Furniture					
1B.2	Fixed Height Rectangular Work Surface, Post Legs Width: 1524mm (60") Depth: 609mm (24") Finish: Laminate, Square Edge					
1B.3	Pedestal File Width: 381mm (15") Depth:609mm (24") Finish: Laminate					
Categ	ory 2 – Free Standing Height Adjustable Surfaces					
2A	Individual Height Adjustable Work Surface, Electric, Rectangular, No Privacy Screen Width: 1168mm (46") Depth: 609mm (24") Surface: Laminate, Square Edge					
Categ	Category 5 – Accessories					
5A	Power Module, 4 Simplex and 2 USB Ports Work Surface Mounted					

ATTACHMENT 3 to ANNEX C Panel Matrix

Panel Type: A

Seated Privacy Height, Non-Powered						
upper element 1	upper element 2					
Fabric (Grade A)	Fabric (Grade A)					
lower element 1	lower element 2					
Fabric (Grade A)	Fabric (Grade A)					
Side 1	Side 2					

Panel Type: C Seated Privacy Height, Powered

upper element 1 Fabric (Grade A)	upper element 2 Fabric (Grade A)
<i>lower element 1</i> Fabric (Grade A) Cut-Outs for Power and Data (Above Worksurface)	lower element 2 Fabric (Grade A)
Side 1	Side 2

Panel Type: E Seated Privacy Height, Non-Powered

upper element 1	upper element 2
Frosted Glazed	Frosted Glazed
<i>lower element 1</i>	<i>lower element 2</i>
Fabric (Grade A)	Fabric (Grade A)
Side 1	Side 2

Panel Type: B Seated Privacy Height, Powered

upper element 1 Fabric (Grade A)	upper element 2 Fabric (Grade A)
lower element 1 Fabric (Grade A) Cut-Outs for Power Only (Below Worksurface, At Base of Panel Preferred)	<i>lower element 2</i> Fabric (Grade A)
Side 1	Side 2

Panel Type: D Seated Privacy Height, Powered

Coulou I mady more	ni, i oworod
upper element 1	upper element 2
Fabric (Grade A)	Fabric (Grade A)
lower element 1	lower element 2
Fabric (Grade A)	Fabric (Grade A)
Cut-Outs for Power	
Only (Above	
Worksurface)	
Side 1	Side 2

Panel Type: F Seated Privacy Height, Powered

upper element 1 Frosted Glazed	upper element 2 Frosted Glazed
lower element 1 Fabric (Grade A) Cut-Outs for Power Only (Below Worksurface, At Base of Panel Preferred)	<i>lower element 2</i> Fabric (Grade A)
Side 1	Side 2

Panel Type: G

* Seated Privacy Height, Powered	
upper element 1	upper element 2
Frosted Glazed	Frosted Glazed
lower element 1	lower element 2
Fabric (Grade A)	Fabric (Grade A)
Cut-Outs for Power	
and Data (Above	
Worksurface)	
Side 1	Side 2
Side 1	Side Z

Panel Type: H Seated Privacy Height, Powered		
upper element 1	upper element 2	
Frosted Glazed	Frosted Glazed	
lower element 1	lower element 2	
Fabric (Grade A)	Fabric (Grade A)	
Cut-Outs for Power		
Only (Above		
Worksurface)		
Side 1	Side 2	