*	Department of Justice
7	Canada

Ministère de la Justice Canada

R	F	ГΙ	IR	N	RI	DS	T	O
11		·	,,,	ıv	וט		, ,	u.

See Section 1.	
----------------	--

STANDARD REQUEST FOR BID

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Solicitation No.	Amendment No.
Supplier SA No N° de l'AMA de fournisseur : E60PQ-140003/	
Solicitation closes :	File No N° de dossier
at See Section 1	
on See Section 1	

	No of Page	18
Date of Solicitation		
October 18, 2023		
Address inquiries to		
See Section 2, Article 4	.1.	
Destination		
See Section 2, Annex A.	•	

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadians funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Supplier Name and Address
Telephone No. Facsimile No.
Name and title of person authorized to sign on behalf of supplier (type or print)
Signature : Date :



_				\sim		_	$\overline{}$	B 15	ΓΕΙ		
	Λ	к	-	"	-			N		N	•

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

SECTION 1 - INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement? NO

Step 2. ⊠ Competitive or ☐ Non-Competitive

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 - 1. a current published price list indicating the percentage discount available to Canada; or
 - 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 - 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 - 4. any other supporting documentation as requested by Canada.

Step 3. ☐ General or ☒ PSIB

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

• The information requested by Canada in Annex A herein.



RFB Issued by:				
Identified User's (IU)	See Section 2, article 4.1 below.			
Department/Agency/Crown Corporation:				
Contact for this RFB:				
RFB Closing - Submit Bid:				
Bids must be submitted on the date and at the t	ime indicated below.			
By no later than date and time:	November 2, 2023			
	2:00 PM EST			
To e-mail address:	shaun.revill@justice.gc.ca			
RFB Enquiries:				
Unless a different period is listed in the adjacent	column, Bidders may submit enquires			
about the RFB to the Contracting Authority two business days prior to the RFB closing date.				
Enquiries received after the timeline indicated may not be answered.				



SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract				
	The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form				
	part of this Contract.				
2.	Security Requirement (the checked article applies)				
۷.	Security Requirement (the checked article applies)				
2.1				re) set out in the Security Requirement Check List attached as Annex B of this	
	cont	ract.		curity requirements by meeting the terms below.	
	a.	✓	= = = = = = = = = = = = = = = = = = = =	session of security clearance not required.	
				NTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED	
			• •	ithout an escort provided by the department or agency for which the work is	
			being performed.		
	b.		Possession of security clearance		
				curity clearance requirements contained in the clausing in Annex B herein.	
	c.		There is no security requirement	associated with this contract.	
3.	Req	uirer	nent		
3.1	The	Cont	ractor must perform the Work liste	ed in Annex A herein.	
4.	Autl	norit	ies		
4.1			ing Authority (IU)		
	Nan		3	Shaun Revill	
	Title	::		A/Sr. Contracts & Materiel Management Officer	
	Dep	artm	ent/Agency/Crown	Department of Justice Canada	
	Corp	orat	ion:		
	Add	ress:		284 Wellington Street, Ottawa, ON K1A 0H8	
	Tele	phor	ne No.:	343-597-4079	
	E-mail address: shaun.revill@justice.gc.ca				
4.2	Proj	ect A	authority [To be completed at conti	ract award]	
		-		tive of the department or agency for whom the Work is being carried out under	
				ove the authority to proceed for delivery and installation and is responsible for	
	all n	natte	rs concerning the technical conten	t of the Work under the Contract.	
	In a	dditio	on, the PA is also responsible for en	suring that the Supplier's employees and subcontractors requiring access to the	
				oplier to access the site to deliver and install the furniture in accordance with the	
	mas	ter s	chedule held by the General Contra	ctor (a representative of Canada or a service provider(s) under contract with the	
	Gov	ernm	ent of Canada).		
	Nan	ne:			
	Title				
	_		ent/Agency/Crown		
		orat			
		ress:			
			ne No.:		
4.2	E-mail address:				
4.3			or's Representative		
5.			t in Annex A, Table 9 below. of Payment		
э.				s SA indicates acceptance for payment by credit card, that method may be used	
			iction with the following.	s 3A mulcates acceptance for payment by credit card, that method may be used	
			le Payment		
			iple Payment		
6.			; [To be completed at contract awa	rdl	
٠.				I document, the Contractor will deliver the original and one copy of the invoice	
			llowing address for certification and		
			the organization and contact: [To k		
	Name of the organization and contact. [To be completed at contract award]				



	Address:
7.	SACC Manual Clauses
Suppler	mental General Conditions:
*New	ID 4013 - Compliance with on-site measures, standing orders, policies, and rules apply to and form part of the Contract.
*New	ID 4014 - Suspension of the work apply to and form part of the Contract.



ANNEX A REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

Category 1
Category 5

* Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.



The rec	uirement includes the following category (ies) of work:
	a. Category 1 – Interconnecting Panels and Freestanding Systems
	☐ Category 1a – Interconnecting Panels
	□ Category 1b – Supporting components and freestanding furniture
	RULE: Metal Storage
	Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.
	b. 🔀 Category 2 – Freestanding Height Adjustable Desk / Table Products
	c. Category 3 – Metal Filing and Storage Cabinets
	Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)
	d. Category 4 – Wood Veneer – Freestanding Products
	e. 🔀 Category 5 – Ancillary and Lighting Products
	f. Category 6 - Support Space – Collaborative Furniture
	RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.
	The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.
	g. NSA Product(s) – Category(ies) :

2. Product and Pricing Tables

<u>Site Inspection Date:</u> To be coordinated with Project Authority after contract award. (*Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.*)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.

Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.
In a resulting contract, the term "Bid" means the Supplier's commitment, the term "Bidder" means "Contractor".



Product Categories: 1, 2, 5

Table 1 – Product Table

		Section A - IU REQUIREMENT			Sect	ion B – SUPPL	IER'S BID
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
	Category 1A						
1	Please refer to Annex C -	- Panel Matrix and associated drawing				\$	\$
	Category 1b						
2	1bffhren24L36 WNOLNY	Freestanding systems, fixed height work surfaces (laminate), rectangular, Panel mounted, 24 X 36 X 29 inches, with grommets	1	Finish Grade B or 2 or higher		\$	\$
3	1bffHREN24L42 WNOLNY	Freestanding systems, fixed height work surfaces (laminate), rectangular, Panel mounted, 24 X 42 X 29 inches, with grommets	3	Finish Grade B or 2 or higher		\$	\$
4	1bffhren24L48 WNOLNY	Freestanding systems, fixed height work surfaces (laminate), rectangular, Panel mounted, 24 X 48 X 29 inches, with grommets	1	Finish Grade B or 2 or higher		\$	\$
5	1bffHREN24L60 WNOLNY	Freestanding systems, fixed height work surfaces (laminate), rectangular, Panel mounted, 24 X 60 X 29 inches, with grommets	1	Finish Grade B or 2 or higher		\$	\$
6	1bffHREN24L72 WNOLNY	Freestanding systems, fixed height work surfaces (laminate), rectangular, Panel mounted, 24 X 72 X 29 inches, with grommets	3	Finish Grade B or 2 or higher		\$	\$
7	1bffhrew24L72 WNOLNY	Freestanding systems, fixed height work surfaces (laminate), rectangular, 1 worksurface support and 1 gable, 24 X 72 X 29 inches, with grommets	1	Note: No modesty panel Finish Grade B or 2 or higher		\$	\$
8	1bSPBMCAA1518 XXYKXX	Filing and storage, Pedestals box/file, mobile, Casters, Painted metal, 15"X18", Upholstered Cushion Seats, Keyed	7	N/A		\$	\$



	Category 2						
9	2WSSREXXL30L6 0BELXX	Individual height adjustable work surfaces, sit/stand position, rectangular, laminate finish, 30X60, height adjustable from 23 to 48.7 inches, electric	1	Yes Note: With grommets and cable storage below the surface included** Finish Grade B or 2 or higher		\$	\$
10	2WSSREXXL30L7 2BELXX	Individual height adjustable work surfaces, sit/stand position, rectangular, laminate finish, 30X72, height adjustable from 23 to 48.7 inches, electric	6	Yes Note: With grommets and cable storage below the surface included** Finish Grade B or 2 or higher		\$	\$
	Category 5						1
11	5MOADUARMCLPM TXXXXX	Dual monitor arm, clamp mount ** See ANNEX D for additional specifications (attached)**	7	Yes		\$	\$
12	5PMOWKSMTACUS BXXXXX	Power module, work surface mounted, AC and USB power	7	No		\$	\$
	ovide additional information:			<u> </u>			<u> </u>
Canad	da is requesting bidders: to pro	ovide drawings and/or pictures including desc	riptive lit	erature for these pr	oducts with your bid	submission.	
					Pr	oduct Total:	\$



Table 2 - Delivery

	Section A - IU REQ	UIREMENT		Section B – SUPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$	
1 to 12	284 Wellington Street, Ottawa 4 th floor K1A 0H8	2024-01-03	Outside Normal Business Hours	: weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$	
**The Proje	usiness Hours 8:00 – 17:00, as per SA, A ect Authority (PA) will provide the supp elivery date taking into consideration the I not be responsible if the supplier choosen.	Delivery Total:	\$			

Table 3 - Installation

	Section A - IU REQ	Section B – SUPPLIER'S BID			
Product Item# from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1 to 12	284 Wellington Street, Ottawa 4 th floor K1A 0H8	2024-01-03	Outside Normal Business Hours	: weeks from date of supply and delivery Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proje	usiness Hours 8:00 – 17:00, as per SA, A ect Authority (PA) will provide the supp stallation date taking into consideration anada will not be responsible if the supponsible if the supp	Installation Total:	\$		

Table 4 – Optional Product	Not Applicable
Table 5 – Optional Delivery	Not Applicable
Table 6 – Optional Installation	Not Applicable



Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes					
1.1	IU is to consult the	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.				
	Within ten busines	s days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's				
	finish choices for ea	ach of the product(s) in Annex A.				
	The Contractor will to Canada.	deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied				
2.		to Accommodate the Delivery				
	The Supplier's employ	ees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition in the jurisdiction where the work is being performed.				
	of employees and sub	he contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list contractors requiring access to the site to perform the work and their security statuses. Information must be provided in the in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.				
2.1						
Α	Location	284 Wellington Street Ottawa K1A 0H8				
В	Dock	Maximum Height is 12 feet 4 inches for trucks				
С	Lift	yes				
D	Door	Maximum Height is 12 feet 4 inches for trucks				
E	Freight Elevator	Available				
F	Other (specify, if					
	any)					
3.	Continuance of Cer	tifications				
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint					
	Venture, continues	to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.				
	Canada may reques	st copies of environmental certification(s) prior to contract award within a time period specified by the Identified				
	User.					
3.1	Integrity Provisions					
3.2	Federal Contractor'	s Program for Employment Equity				
3.4	Product Conforman	nce				
3.5	Price Certification (In accordance with the SA, Part 6B)				

Table 8 - Bid Evaluation and Contract Total

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Hardware Total as per article 1.5 of Annex A-1 of SA (if Applicable)	\$
5	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4) [to be removed at contract award]	\$
6	Contract Price(1 + 2 + 3 + 4): [applicable at contract award only]	\$
7	Applicable Tax(es): [applicable at contract award only]	\$
8	Total Estimated Cost (6+7): [applicable at contract award only]	\$

^{*} Applicable taxes extra.



Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:



ANNEX B SECURITY REQUIREMENTS

A. The security requirements set out in the attached Security Requirements Check List (SRCL) apply to and form part of the Contract.

 *	Government of Canada		uvernement Canada			Contr	act Number / Numéro du cont	rat			
						Security Cl	assification / Classification de N/A	sécuri	té		
I. Originating (Ministère ou	Government Dep u organisme gou	MATION artment verneme	DE VÉRIFICA N/PARTIE A - t or Organization ental d'origine	Department of Justice C	ES RELATIVE CTUELLE Canada	2. Branch o	CURITÉ (LVERS) or Directorate / Direction géné ate Services Branch			tion	
N/A 4. Brief Descrip	act Number / Num ption of Work / B installation of furni	rève de	scription du trav	· ·	ame and Addre	ss of Subcon	tractor / Nom et adresse du s	ous-tr	aitant		
	upplier require a							V	No Non		Yes Oui
Regulatio	ns?			litary technical data subject				~	No Non		Yes Oui
sur le con	ntrôle des donnée	es techn	niques?	e d'accès requis	omees qui sont	assujetties 8	ux dispositions du Règlement				—
Le fournis (Specify t	seur ainsi que le he level of acces	es emplo ss using	oyés auront-ils a the chart in Que	s to PROTECTED and/or occès à des renseignemen estion 7. c) qui se trouve à la question	ts ou à des bier			V	No Non		Yes Oui
6. b) Will the si PROTEC Le fournis à des ren	upplier and its er TED and/or CLA sseur et ses emp seignements ou	mployee SSIFIEI loyés (p à des b	es (e.g. cleaners D information or o. ex. nettoyeurs iens PROTÉGÉ	, maintenance personnel) assets is permitted. , personnel d'entretien) au S et/ou CLASSIFIÉS n'es	require access iront-ils accès à t pas autorisé.		access areas? No access to d'accès restreintes? L'accès	~	No Non		Yes Oui
S'agit-il d	'un contrat de m	essager	ie ou de livraiso	nt with no overnight stora n commerciale sans entre	posage de nuit		on auguel le fournisseur devra	~	No Non		Yes Oui
r. aj indicale t	Canada	✓	at trie supplier v	NATO / OTA		dinionnauc	Foreign / Étranger		CCes		
 b) Release re No release re Aucune restri à la diffusion 	iction relative	trictions	relatives à la di	ffusion All NATO countries Tous les pays de l'OTAN			No release restrictions Aucune restriction relative à la diffusion				
Not releasabl À ne pas diffu								_	_		
Restricted to: Specify count	: / Limité à : try(ies): / Précise	er le(s) p	ays:	Restricted to: / Limité à : Specify country(ies): / Pré	eciser le(s) pays	1:	Restricted to: / Limité à : Specify country(ies): / Précis	ser le(s) pays	:	
7. c) Level of in	nformation / Nive	au d'inf	ormation								
PROTECTED PROTÉGÉ A PROTECTED PROTÉGÉ B PROTECTED PROTÉGÉ C	DB [-	NATO UNCLASSIFIED NATO NON CLASSIFIÉ NATO RESTRICTED NATO DIFFUSION REST NATO CONFIDENTIAL NATO CONFIDENTIEL	REINTE]]]	PROTECTED A PROTÉGÉ A PROTECTED B PROTÉGÉ B PROTECTED C PROTÉGÉ C]]]		
CONFIDENT CONFIDENT SECRET SECRET TOP SECRE	T [NATO SECRET NATO SECRET COSMIC TOP SECRET COSMIC TRÈS SECRET			CONFIDENTIAL CONFIDENTIEL SECRET SECRET TOP SECRET]		
TRÈS SECRI TOP SECRE TRÈS SECRI	T (SIGINT)						TRÉS SECRET TOP SECRET (SIGINT) TRÉS SECRET (SIGINT)		j		
TBS/SCT 35	0-103(2004/12)		[Security Classification / 0	Classification de	sécurité		C	an]넩



*	Government	Gouverneme
-	of Canada	du Canada

Contract Number / Numéro du contrat	
Security Classification / Classification de sécurité N/A	

PART A (continued) / PARTIE A (suite) 8. Will the supplier require access to PROTECTED and/or Le fournisseur aura-t-il accès à des renseignements ou If Yes, indicate the level of sensitivity: Dans l'affirmative, indiquer le niveau de sensibilité:		u CLASSIFIÉS?	No Yes Oui			
9. Will the supplier require access to extremely sensitive II		Easto?	No Yes			
Le fournisseur aura-t-il accès à des renseignements ou		iicate?	Non LOui			
Short Title(s) of material / Titre(s) abrégé(s) du matériel Document Number / Numéro du document :						
PART B - PERSONNEL (SUPPLIER) / PARTIE B - PERS 10. a) Personnel security screening level required / Niveau						
RELIABILITY STATUS COTE DE FIABILITÉ	CONFIDENTIAL SECRET SECRET	TOP SECR TRÈS SEC				
	NATO CONFIDENTIAL NATO SECRET NATO CONFIDENTIEL NATO SECRET		OP SECRET RÈS SECRET			
SITE ACCESS ACCÈS AUX EMPLACEMENTS						
Special comments: Commentaires spéciaux :						
REMARQUE : Si plusieurs niveaux de cor	entified, a Security Classification Guide must be prov ntrôle de sécurité sont requis, un guide de classific		ourni.			
 b) May unscreened personnel be used for portions of the Du personnel sans autorisation sécuritaire peut-il se 			No Yes Non Oui			
If Yes, will unscreened personnel be escorted? Dans l'affirmative, le personnel en question sera-t-il	escorté?		No Yes Non Oui			
PART C - SAFEGUARDS (SUPPLIER) / PARTIE C - MES INFORMATION / ASSETS / RENSEIGNEMENTS / E						
11. a) Will the supplier be required to receive and store Pf premises?	ROTECTED and/or CLASSIFIED information or as	sets on its site or	No Yes			
Le fournisseur sera-t-il tenu de recevoir et d'entrepo CLASSIFIÉS?	ser sur place des renseignements ou des biens P	ROTÉGÉS et/ou				
 b) Will the supplier be required to safeguard COMSEC Le fournisseur sera-t-il tenu de protéger des renseig 			No Yes			
PRODUCTION						
11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises? Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?						
INFORMATION TECHNOLOGY (IT) MEDIA / SUPPOR	RT RELATIF À LA TECHNOLOGIE DE L'INFORMA	ITION (TI)				
11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED No Non Out						
Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?						
11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency? Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale?						
·						
TBS/SCT 350-103(2004/12) Se	ecurity Classification / Classification de sécurité					



	Government	Gouvernemer
*	of Canada	du Canada

Contract Number / Numéro du contrat

Security Classification / Classification de sécurité

N/A

	f		_	
PART C - /	continuec	II / PART	E C -	suite

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions.

Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie		OTÉG			ASSIFIED ASSIFIÉ			NATO						COMSEC		
	A	в	С	CONFIDENTIAL	SECRET	TOP SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	TOP		TECTI OTÉG		CONFIDENTIAL	SECRET	TOP SECRET
				CONFIDENTIEL		TRÉS SECRET	NATO DIFFUSION RESTREINTE	NATO CONFIDENTIEL		SECRET COSMIC TRÉS SECRET	A	В	С	CONFIDENTIEL		TRES SECRET
Information / Assets																
Renseignements / Biens		_														
Production																
IT Media / Support TI																
IT Link / Lien électronique			Г													

12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED? La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?	✓ No Non	Yes Oui
If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification". Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.		
12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED? La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?	No Non	Yes Oui
If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments). Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).		

TBS/SCT	350-103	(2004/12)
---------	---------	-----------

Security Classification / Classification de sécurité N/A





ANNEX C FLOOR PLANS

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).

As a minimum the product listing must include the following information:

- Supplier part numbers including NSA products forming part of this category;
- brief product descriptions;
- quantities;
- firm unit prices
- c) Bidders must provide a <u>stackable panel system</u> that consists of a Base panel with the required add-on module(s) as defined in the panel matrix of this requirement.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

*At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".

Category 1a Requirement:

1) Floor Plan

Email Shaun.Revill@justice.qc.ca for pdf and/or AutoCAD floor plan

2) Panel Details


- a. All required panel heights: Seated Privacy Add-on Height;
- b. When power is required, the power is located below work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: Power Pole.
- d. Component System Accessories:
 - 1. Panel mounted accessories integrated into the panel frame will be shown on the floor plan. Accessories attached to the panel separately must be specified (accessory rails tackable surfaces, whiteboards...).
 - 2. When Accessory rails are required, the accessories must be specified: a paper sorter, a tray, a bin, a telephone holder (etc.) (refer to full SA specification for more information).

3) Panel Matrix and Workstation Layout

***See attached Panel Matrix ***




a. Panel Matrix



b. Workstation Layout

- The floor plan takes precedence over any discrepancies with workstation layouts.
- Where two or more typical workstations have a common partition column, the interior finishes of the workstation must be as described in the Typical Data Sheets and NO PARTITION SHALL BE SUPERPOSED. If there is no adjacent workstation, please refer to the Data Sheet for finish criteria.
- If a typical workstation has a power source and the other workstation does not a power source will be required for both workstations. Include workstation layouts (in the form of typical data sheets or 3-D drawings) here or as a separate attachment to this IAS.





ANNEX D ADDITIONAL SPECIFICATIONS

CATEGORY 5:

- Low profile base with clamp for both single and dual monitor arms
- Tilts 135 degree in total (105 degrees above horizontal, and 30 degrees below)
- At least 18" of focal depth adjustment
- 360 degrees of rotation
- Provides rotation from portrait to landscape
- Each arm has at least 18" inches of total extension
- Each arm is capable of at least 23" height adjustment above the worksurface
- Arm folds into itself to less than 5" deep when fully compressed.
- Integrated wire management
- Each arm to provide independent movement
- Dual monitors must be side by side
- Must accommodate up to 27" monitor equally side by side



^{**}For monitors on glass partition: post stop must be provided**