

Security Guide for SRCLs

Fire Alarm Systems – Annual Inspections & Monitoring SRCL #: 2022-111468

Prepared by: NWR Departmental Security Section Royal Canadian Mounted Police

DSS Physical Signature:

Godfrey,Tracy May,000161061 Digitally signed by Godfrey,Tracy May,000161061 Date: 2022.06.07 08:23:49 -06'00'





General Security Requirements

Description of Work: To provide 24/7 monitoring of RCMP fire alarm systems in Saskatchewan and annual fire inspections, approximately 80 sites. The intent is to ensure ongoing fire inspections and monitoring of existing RCMP owned and leased spaces throughout their lifecycle in accordance with the requirements of the current National Fire Code (NFC).

Security Clearance: RCMP Facility Access Level 2 with Escort

NWR DSS Internal Use ONLY Intake Diary Date for SRCL (Expiry): 2027-06-06

All contractors employed on this contract must support the RCMP's security environment by complying with the directives described in this document.

- 1. All Protected information (hard copy documentation) or other sensitive assets for which the RCMP is responsible will be shared with the contractor through pre-approved processes.
- 2. The information disclosed by the RCMP will be administered, maintained, and disposed of in accordance with the Contract. At minimum the contractor must follow the Policy on Government Security.
- 3. The contractor will promptly notify the RCMP of any unauthorized use or disclosure of the information exchanged under this contract and will furnish the RCMP with details of the unauthorized use or disclosure. (i.e. loss of sensitive information, accidental or deliberate.)
- 4. Photography is not permitted. If photos are required, please contact the Organization Project Authority and Departmental Security Section.
- 5. The use of personal property, e.g. desktop peripherals, communication devices, portable storage media such as USB sticks, in conjunction with RCMP technology is prohibited
- 6. The contractor is not permitted to disclose sensitive information provided by the RCMP, to any subcontractors, without those individuals having the proper RCMP security level required to access the protected information.
- 7. The RCMP's Departmental Security Section (DSS) reserves the right to:
 - conduct inspections of the contractor's site/premises. Inspections may be performed prior
 to sensitive information being shared and/or as required (i.e. if the contractor's work
 location relocates). The intent of the inspection is to ensure the quality of security
 safeguards.
 - request photographic verification of the security safeguards. Photographs may be requested prior to sensitive information being shared and/or as required (i.e. if the contractor's work

- location relocates). The intent of the photographs is to ensure the quality of security safeguards.
- provide guidance on mandatory safeguards (safeguards as specified in this document and possibly additional site specific safeguards).
- 8. To ensure Canada's sovereign control over its data, all sensitive or protected data under government control will be stored on servers that reside in Canada. Data in transit will be appropriately encrypted.

Physical Security

1. Storage: Protected information/assets must be stored in a container acceptable to the RCMP DSS. The container must be located (at minimum) within an "Operations Zone". As such, the contractor's facility must have an area/room that meets the following criteria:

Operations Zone								
Definition	An area where access is limited to personnel who work there and to properly escorted visitors.							
	Note: The personnel working within the Operational Zone must:							
	 possess a valid RCMP Reliability Status (RRS), or 							
	be escorted by an individual who possesses a valid RRS							
Perimeter	Must be indicated by a recognizable perimeter or a secure perimeter depending							
	on project needs. For example, the controls may be a locked office or suite.							
Monitoring	Monitored periodically by authorized employees. For example, users of the							
	space working at the location are able to observe if there has been a breach of							
	security.							

Note: Refer to Appendix A for more information on the Security Zone concept.

- 2. **Discussions**: Where sensitive conversations are anticipated, Operations Zones must have a stand off from public spaces or be designed with acoustic speech privacy properties (where the user has a reasonable expectation that they will not be overheard). For example, private room/office and/or boardroom.
- 3. **Production**: The production (generation and/or modification) of Protected information or assets must occur in an area that meets the criteria of an Operations Zone.
- 4. **Destruction**: All drafts or misprints (damaged copies and/or left over copies) must be <u>destroyed</u> by the contractor. Protected information must be destroyed in accordance with the RCMP's Security Manual. The equipment/system (i.e. shredder) used to destroy sensitive material is rated according to the degree of destruction. RCMP approved destruction equipment must be utilized.

Approved levels of destruction for Protected B include:

Residue size must be less than 1 x 14.3 mm (particle cut).

Note:

- If the contractor is unable to meet the RCMP's destruction requirements, all sensitive information/assets are to be returned to the RCMP for proper destruction.
- Any sensitive drafts/misprints awaiting disposal must be protected in the agreed upon manner until destroyed.
- 5. **Transport/Transmittal:** The physical exchange of sensitive information must follow the Contract. When a delivery service is used, it must offer proof of mailing, a record while in transit and of delivery.

Transport	Transport: to transfer sensitive information and assets from one person or place to another by someone with a need to know the information or need to access the asset.
Transmittal	Transmit: to transfer sensitive information and assets from one person or place to another by someone without a need to know the information or need to access the asset.

Note:

- For Transport of Protected "B" information (travel to/from neutral locations for meetings and/or interviews): In place of a single envelope, a briefcase or other container of equal or greater strength may be used. Double envelope/wrap to protect fragile contents or to keep bulky, heavy or large parcels intact.
- For Transmittal of Protected "B" information (Canada Post or registered courier): Address in a nonspecific manner. Add "To Be Opened Only By" because of the need-to-know or need-to-access principles when warranted.

IT Security

Appropriate Control of Protected A and B Information

Transport/Transmittal

If there is a requirement to send RCMP Protected A or Protected B information electronically, it
must be sent using a FIPS 140-2 compliant portable storage device provided by the RCMP, with
access restricted to RCMP security cleared contractor personnel only and the RCMP client. The FIPS
140-2 compliant portable storage device must be delivered by-hand or shipped by an approved
courier to the contractor's location. Sensitive RCMP information shall not be transmitted to or from
any external email address.

- 2. The password for the portable storage device is to be provided verbally, either in person or by telephone to RCMP security cleared contractor personnel only.
- 3. IF electronic processing of Protected A or B RCMP information is required, the contractor must ensure the information is:
 - encrypted while at rest
 - encrypted while in transit; and
 - access controls are implemented.

Note: Advanced Encryption Standard (AES) Algorithm with key lengths of 128, 192 and 256 bits is approved for encrypting Protected A and B information.

Mobile Users

- 1. Use only RCMP-issued equipment approved for mobile use.
- 2. Use an approved full-disk encryption method on laptop computers and encrypt sensitive information when not in use
- 3. Remove your credential/authentication token and keep it on your person, when the technology it is used with is left unattended.
- 4. Ensure that the laptop and/or storage media containing sensitive information are stored in an authorized security container if the information is not encrypted. See AM ch. XI.3., sec. H

Telephony

- 5. All voice communication by any cellular or mobile telephone must be restricted to non-sensitive information, unless the phone is specifically accredited and issued for sensitive information.
- 6. Use of RCMP supplied smartphones/cellphones are restricted to RCMP employees, authorized organizations and their agents working on behalf of the RCMP, and authorized organizations and their agents.
- 7. RCMP supplied smartphones/cellphones are only authorized to process up to and including Protected A information on the corporate workspace side for the purpose of RCMP business.
- 8. Only RCMP supplied external peripheral devices may be used externally with a RCMP supplied smartphone.

Printing, Scanning, and Photocopying

9. If electronic RCMP Protected information has to be printed / scanned, the contractor must have additional/dedicated computer(s), printer(s)/scanners. This equipment must not be connected to

the local area network nor the Internet. This computer(s) will require RCMP approved disk drive encryption.

Storing

- 10.If required, backup of RCMP Protected A or B information is subject to the same security guidelines (encryption and access controls) as is the live information.
- 11. Electronic records must be destroyed according to ITSG-06 Clearing and Declassifying Electronic Data Storage Devices (refer to https://www.cse-cst.gc.ca/en/node/270/html/10572 for further into). Protected information is to be cleared using the following options:
 - Media containing PROTECTED government information can only be re-used after all data areas of the media have been alternatively overwritten with any character and its complement (e.g. binary 1s then binary 0s) for a minimum of three times.
 - Media containing PROTECTED government information that are not overwritten to the satisfaction of the RCMP are to be destroyed in accordance with RCMP approved methods (approved metal-destruction facility, incineration, emery wheel or disk sander, dry disintegration, pulverizing or smelting).
- 12. All RCMP supplied storage devices used throughout the duration of this contract must be returned to the RCMP immediately upon contract termination.

Personnel Security Requirements

RCMP Facility Access, Level I, II, III & IV

For contractors who only require access to an RCMP facility and will not have access to protected or classified information, systems, assets and facilities. In this scenario, the RCMP wishes to conduct local law enforcement checks only. For PWGSC procurement purposes, this should be identified in the contractual documents.

Contractor personnel must submit to local law enforcement verification by the RCMP, prior to admittance to the facility or site. The RCMP reserves the right to deny access to any facility or site or part thereof to any contractor personnel, at any time.

When the RCMP requires Facility Access Level 1 or 2; the successful Bidder, Contractor will submit the following to the RCMP:

- 1. Form TBS 330-23
- 2. Copy of Government issued, signature bearing photo Identification (Front and Back)

When the RCMP requires Facility Access Level 3 or 4; the successful Bidder, Contractor will submit the following to the RCMP:

- 1. Form TBS 330-23
- 2. Form TBS 330-60
- 3. Copy of Government issued, signature bearing photo Identification (Front and Back)
- 4. Two sets of fingerprints

The RCMP:

- 1. Will conduct local law enforcement checks.
- 2. is responsible for escorting requirements on its facilities or sites
- 3. Does not require organizational or personnel security clearances for suppliers and/or contractors providing services.
- 4. Will complete the PWGSC Requisition Form 9200 to indicate the security requirement with no SRCL.

RCMP Reliability Status (RRS), Secret or Top Secret Clearance

For contractors who require access to RCMP protected information, systems, assets and/or facilities. In this scenario, the RCMP wishes to conduct all checks required for obtaining an RRS. For PWGSC procurement purposes, this should be identified in the contractual documents.

Contractor personnel must submit to verification by the RCMP, prior to being granted access to Protected or Classified information, systems, assets and/or facilities. The RCMP reserves the right to deny access to any of the above to any contractor personnel, at any time.

When the RCMP identifies a requirement for RRS or a security clearance; the successful Bidder, Contractor will submit the following to the RCMP:

- 1. Form TBS 330-23
- 2. Form TBS 330-60
- 3. Form 1020-1 (Security Interview)
- 4. Two pieces of Government issued, signature bearing, photo identification (Birth Certificate and Driver's licence)
- 5. Two sets of fingerprints
- 6. Working Visa (where applicable)
- 7. Two passport photographs

The RCMP:


- 1. will conduct personnel security screening checks above the Policy on Government Security requirements
- 2. is responsible for escorting requirements on its facilities or sites

3. will security screen any Key Senior Officials (KSOs) identified by CISD (requirement for Classified information)

Appendix A – Security Zone Concept

The Government Security Policy (Section 10.8 - Access Limitations) stipulates that "departments must limit access to classified and protected information and other assets to those individuals who have a need to know the information and who have the appropriate security screening level".

The Operational Security Standard on Physical Security (Section 6.2 - Hierarchy of Zones) states that "departments must ensure that access to and safeguards for protected and classified assets are based on a clearly discernable hierarchy of zones".



Public Zone is where the public has unimpeded access and generally surrounds or forms part of a government facility. Examples: the grounds surrounding a building, or public corridors and elevator lobbies in multiple occupancy buildings.

Reception Zone is where the transition from a public zone to a restricted-access area is demarcated and controlled. It is typically located at the entry to the facility where initial contact between visitors and the department occurs; this can include such spaces as places where services are provided and information is exchanged. Access by visitors may be limited to specific times of the day or for specific reasons.

Operations Zone is an area where access is limited to personnel who work there and to properly-escorted visitors; it must be indicated by a recognizable perimeter and monitored periodically. Examples: typical open office space, or typical electrical room.

Security Zone is an area to which access is limited to authorized personnel and to authorized and properly-escorted visitors; it must be indicated by a recognizable perimeter and monitored continuously, i.e., 24 hours a day and 7 days a week. Example: an area where secret information is processed or stored.

High Security Zone is an area to which access is limited to authorized, appropriately-screened personnel and authorized and properly-escorted visitors; it must be indicated by a perimeter built to the specifications recommended in the TRA, monitored continuously, i.e., 24 hours a day and 7 days a week and be an area to which details of access are recorded and audited. Example: an area where high-value assets are handled by selected personnel.

Access to the zones should be based on the concept of "need to know" and restricting access to protect employees and valuable assets. Refer to RCMP Guide G1-026, Guide to the Application of Physical Security Zones for more detailed information.



Gouvernement du Canada

Contract Nu	umber / Numéro du contrat	
	cation / Classification de sécurité	

SECURITY REQUIREMENTS CHECK LIST (SRCL) LISTE DE VÉRIFICATION DES EXIGENCES RELATIVES À LA SÉCURITÉ (LVERS)

PART A - CONTRACT INFORMATION / PARTIE A	- INFORMATION CONTRACTUEL		ECORITE (LVERS)	
Originating Government Department or Organization			or Directorate / Direction génér	rale ou Direction
Ministère ou organisme gouvernemental d'origine	RCMP / GRC		sset Management/Corporate N	
3. a) Subcontract Number / Numéro du contrat de so		Address of Subcor	ntractor / Nom et adresse du so	ous-traitant
4. Brief Description of Work / Brève description du tra	l avail			
To provide 24/7 monitoring of RCMP fire alarm systems monitoring of existing RCMP owned and leased spaces Assurer une surveillance 24/7 des systèmes d'alarme incendie de la GRC en Sasl incendies et la surveillance continue dans les espaces appartenant à la GRC ou lo	in Saskatchewan and annual fire inspection throughout their llfecycle in accordance which katchewan et des inspections annuelles de prévention des	tth the requirements of incendies, environ 80 sites. O	of the current National Fire Code (N ela a pour objet de garantir la réalisation continu	NFC). le d'inspections de prévention des
5. a) Will the supplier require access to Controlled Go Le fournisseur aura-t-il accès à des marchandis				V No Yes Oui
 5. b) Will the supplier require access to unclassified r Regulations? Le fournisseur aura-t-il accès à des données ter sur le contrôle des données techniques? 6. Indicate the type of access required / Indiquer le tone 	chniques militaires non classifiées qu			V No Yes Oui
1	• •			
6. a) Will the supplier and its employees require acce Le fournisseur ainsi que les employés auront-ils (Specify the level of access using the chart in Q (Préciser le niveau d'accès en utilisant le tablea	s accès à des renseignements ou à d question 7. c) au qui se trouve à la question 7. c)	les biens PROTÉG	ÉS et/ou CLASSIFIÉS?	No Yes Oui
b) Will the supplier and its employees (e.g. cleaner PROTECTED and/or CLASSIFIED information Le fournisseur et ses employés (p. ex. nettoyeu à des renseignements ou à des biens PROTÉG	or assets is permitted. irs, personnel d'entretien) auront-ils a èÉS et/ou CLASSIFIÉS n'est pas auto	accès à des zones		No Yes Oui
S'agit-il d'un contrat de messagerie ou de livrais	son commerciale sans entreposage of			No Yes Oui
7. a) Indicate the type of information that the supplier	will be required to access / Indiquer	le type d'information	on auquel le fournisseur devra	avoir accès
Canada	NATO / OTAN		Foreign / Étranger	
7. b) Release restrictions / Restrictions relatives à la	diffusion			
No release restrictions Aucune restriction relative à la diffusion	All NATO countries Tous les pays de l'OTAN		No release restrictions Aucune restriction relative à la diffusion	
Not releasable À ne pas diffuser				
Restricted to: / Limité à :	Restricted to: / Limité à :		Restricted to: / Limité à :	
Specify country(ies): / Préciser le(s) pays :	Specify country(ies): / Préciser le(s	s) pays :	Specify country(ies): / Précis	er le(s) pays :
7. c) Level of information / Niveau d'information				
PROTECTED A	NATO UNCLASSIFIED		PROTECTED A	
PROTÉGÉ A L	NATO NON CLASSIFIÉ		PROTÉGÉ A	
PROTECTED B	NATO RESTRICTED		PROTECTED B	
PROTÉGÉ B	NATO DIFFUSION RESTREINTE		PROTÉGÉ B	
PROTECTED C	NATO CONFIDENTIAL		PROTECTED C	
PROTÉGÉ C	NATO CONFIDENTIEL		PROTÉGÉ C	
CONFIDENTIAL	NATO SECRET		CONFIDENTIAL	
CONFIDENTIEL	NATO SECRET		CONFIDENTIEL	
SECRET	COSMIC TOP SECRET		SECRET	
SECRET	COSMIC TRÈS SECRET		SECRET	
TOP SECRET			TOP SECRET	
TRÈS SECRET			TRÈS SECRET	
TOP SECRET (SIGINT)			TOP SECRET (SIGINT)	
TRÈS SECRET (SIGINT)			TRÈS SECRET (SIGINT)	

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité Non-Classified / NON CLASSIFIÉ





Gouvernement du Canada

Contract Number / Numéro du contrat	
Security Classification / Classification de sécurité Non-Classified / NON CLASSIFIÉ	

DADT A /oou	time all (DADTIC A (auta)	
8. Will the sup	tinued) / PARTIE A (suite) oplier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets?	No Yes
	eur aura-t-il accès à des renseignements ou à des biens COMSEC désignés PROTÉGÉS et/ou CLASSIFIÉS? cate the level of sensitivity:	✓ Non
Dans l'affir	mative, indiquer le niveau de sensibilité :	
	oplier require access to extremely sensitive INFOSEC information or assets? eur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?	Von Ves Non Oui
	s) of material / Titre(s) abrégé(s) du matériel : Number / Numéro du document :	
PART B - PE	RSONNEL (SUPPLIER) / PARTIE B - PERSONNEL (FOURNISSEUR)	
10. a) Person	nel security screening level required / Niveau de contrôle de la sécurité du personnel requis	
	RELIABILITY STATUS CONFIDENTIAL SECRET TOP SECF COTE DE FIABILITÉ CONFIDENTIEL SECRET TRÈS SEC	
		OP SECRET RÈS SECRET
✓	SITE ACCESS ACCÈS AUX EMPLACEMENTS	
	Special comments:	NDC avec accepts
	Commentaires spéciaux : RCMP Facility Access Level 2 with Escort / Niveau d'accès 2 (NA2) aux installations de la G	RC avec escone
	NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided. REMARQUE: Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être	fourni
	screened personnel be used for portions of the work?	No Yes
1	sonnel sans autorisation sécuritaire peut-il se voir confier des parties du travail? will unscreened personnel be escorted?	V Non Oui No Yes
1	affirmative, le personnel en question sera-t-il escorté?	Non Oui
PART C - SA	FEGUARDS (SUPPLIER) / PARTIE C - MESURES DE PROTECTION (FOURNISSEUR)	
INFORMAT	ON / ASSETS / RENSEIGNEMENTS / BIENS	
11. a) Will the	supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or	✓ No Yes
Le four	nisseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou	140// Cd/
CLASS	IFIÉS?	
	supplier be required to safeguard COMSEC information or assets? nisseur sera-t-il tenu de protéger des renseignements ou des biens COMSEC?	✓ No Yes Non Oui
PRODUCTI	ON	
11. c) Will the	production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment	No ☐Yes
	t the supplier's site or premises? lallations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ	✓ Non Oui
	LASSIFIÉ?	
INFORMATI	ON TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF À LA TECHNOLOGIE DE L'INFORMATION (TI)	
1 '	supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED	✓ No Yes
Le four	tion or data? nisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des	
renseig	nements ou des données PROTÉGÉS et/ou CLASSIFIÉS?	
	re be an electronic link between the supplier's IT systems and the government department or agency?	No Yes
	era-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence nementale?	Ŭ Non ☐ Oui

TBS/SCT 350-103(2004/12)

Security Classification / Classification de sécurité
Non-Classified / NON CLASSIFIÉ

Canadä



Contract Number / Numéro du contrat

Security Classification / Classification de sécurité Non-Classified / NON CLASSIFIÉ

PART C - (continued) / PARTIE C - (suite)

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions. Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED CLASSIFIED CLASSIFIÉ						NATO					COMSEC					
	Α	В	С	CONFIDENTIAL	SECRET	TOP SECRET	NATO RESTRICTED	NATO CONFIDENTIAL	NATO SECRET	COSMIC TOP		OTECT ROTÉG		CONFIDENTIAL	SECRET	TOP SECRET	
				CONFIDENTIEL		TRÈS SECRET	NATO DIFFUSION RESTREINTE	NATO CONFIDENTIEL		SECRET COSMIC TRÈS SECRET	А	В	С	CONFIDENTIEL		TRES SECRET	
Information / Assets Renseignements / Biens																	
Production																	
IT Media / Support TI																	
IT Link / Lien électronique																	
2. a) Is the descrip La description										SIFIÉE?					✓ No Non	☐ Y	

Renseignements / Biens												
Production												
IT Media /												
Support TI IT Link /												
Lien électronique												
12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED? La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE? If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification". Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée										Yes Oui		
 « Classification de sécurité » au haut et au bas du formulaire. 12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED? La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE? 											√No	Yes
La documentation a	associée	à la présente	LVERS s	era-t-elle	PROTEGEE	et/ou CLASS	IFIEE?				L Non	└── Oui
If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with attachments (e.g. SECRET with Attachments). Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec des pièces jointes).												

Canadä^{*}