No.	of Pages	-	24		
-----	----------	---	----	--	--



Department of Justice Canada

Ministère de la Justice Canada

RETURN BIDS TO:

See Section 1.		

STANDARD REQUEST FOR BID

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Solicitation No. : Supplier SA No. : E60PQ-140003/	Amendment No.
Solicitation closes: at See Section 1 on See Section 1	File No.

Date of Solicitation : Tuesday, April 30, 2024
Address inquiries to:
See Section 2, Article 4.1.
Destination
Destination
See Section 2, Annex A.
See Seedion 2)/Illinex/II

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadians funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Supplier Name and Address
Telephone No.:
Facsimile No. :
Name and title of person authorized to sign on behalf of supplier (type or print)
Signature : Date :



TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services.

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2) Is this a Manufacturer Product Specific Procurement? NO Step 2. Competitive or Non-Competitive

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 - 1. a current published price list indicating the percentage discount available to Canada; or
 - 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 - 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 - 4. any other supporting documentation as requested by Canada.

Step	3 . \triangleright	Gen	eral o	r \square	PSIB
JLEP	J. 1/	\ \(\mathcal{O} \in \mathcal{O} \)	ciai o		1 310

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

• The information requested by Canada in Annex A herein.

RFB Issued by:						
Identified User's (IU) Department/Agency/Crown See Section 2, article 4.1 below.						
Corporation:						
Contact for this RFB:						
RFB Closing - Submit Bid:						
Bids must be submitted on the date and at the tim	e indicated below.					
By no later than date and time:	May 17, 2024 at 12:00 EDT					
To e-mail address: shaun.revill@justice.gc.ca						



RFB Enquiries:	

Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority two business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.

SECTION 2 - RESULTING CONTRACT CLAUSES

1.							
	Terms	s and Conditions of the Contract					
	The te	erms and conditions of Parts 6B and 6C	of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of				
	this Co	ontract.					
2.	Security Requirement						
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this						
2.1	contract. The Contractor must fulfill the security requirements by meeting the terms below. a. Contractor may be escorted; possession of security clearance not required.						
-							
	u.		ITER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information				
		•	ort provided by the department or agency for which the work is being performed.				
-	b.	Possession of security clearance(s					
			urity clearance requirements contained in the clausing in Annex B herein.				
-	C.	There is no security requirement a					
3.	Poqui	irement					
3.1		ontractor must perform the Work listed	Lin Annoy A horoin				
3.1		·	i ili Allilex A fierelli.				
4.	Autho						
4.1	Contr	acting Authority (IU)					
_	Name	2:	Shaun Revill				
_	Title:		Contracting Officer				
_	Depar	rtment/Agency/Crown Corporation:	Department of Justice Canada				
_	Addre	ess:	284 Wellington Street, Ottawa, ON, K1A 0H8				
<u> </u>	Telephone No.:		343-597-4079				
	E-mail address:		shaun.revill@justice.gc.ca				
4.2	Project Authority (to be inserted at Contract Award)						
	The Pi	roject Authority (PA) is the representativ	ve of the department or agency for whom the Work is being carried out under the				
	Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all						
	matte	ers concerning the technical content of t	he Work under the Contract.				
	In ada	dition, the PA is also responsible for ensu	ring that the Supplier's employees and subcontractors requiring access to the site				
	adher	e to the allocated time for the Supplier	to access the site to deliver and install the furniture in accordance with the master				
	sched	ule held by the General Contractor (a re	presentative of Canada or a service provider(s) under contract with the				
	Gover	rnment of Canada).					
-	Name	e:					
	Title:						
	Depar	rtment/Agency/Crown Corporation:					
	Addre						
	Telephone No.:						
	E-mai	l address:					
4.3	Contr	actor's Representative					
	As set	out in Annex A, Table 9 below.					
5.	Meth	Method of Payment					
	The ch	cked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in					
	conjunction with the following.						
l -	√ S	ingle Payment					
	Multiple Payment						
-	N	Aultiple Payment					
6.		Multiple Payment cing (to be inserted at Contract Award)					
6.	Invoic	cing (to be inserted at Contract Award)	document, the Contractor will deliver the original and one copy of the invoice to				
6.	Invoic Furthe	cing (to be inserted at Contract Award)					
-	E-mai Contr As set Metho The ch conjun	I address: actor's Representative cout in Annex A, Table 9 below. od of Payment hecked box applies. If the Contractor's contion with the following.	SA indicates acceptance for payment by credit card, that method may be used in				



	Address:
7.	SACC Manual Clauses
Supplen	nental General Conditions:
*New	ID 4013 - Compliance with on-site measures, standing orders, policies, and rules apply to and form part of the Contract.
*New	ID 4014 - Suspension of the work apply to and form part of the Contract.



ANNEX A REQUIREMENT AND BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

Category 5

* Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.



The requirement includes the following categories of work:

a. Category 1 − Interconnecting Panels and Freestanding Systems

☐ Category 1a − Interconnecting Panels

☐ Category 1b − Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. ☐ Category 2 − Freestanding Height Adjustable Desk / Table Products

c. ☐ Category 3 − Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

d. ☐ Category 4 − Wood Veneer − Freestanding Products

e. ☐ Category 5 − Ancillary and Lighting Products

f. ☐ Category 6 - Support Space − Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. NSA Product(s) – Category: 3

2. Product and Pricing Tables

<u>Site Inspection Date:</u> To be coordinated with Project Authority after contract award. (*Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.*)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.

Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.
In a resulting contract, the term "Bid" means the Supplier's commitment, the term "Bidder" means "Contractor".



Product Categories: 1, 2 and 5

Table 1 – Product Table

	Section A - IU REQUIREMENT Section B — SUPPLIER'S BID						
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
	Category 1A						
1	Please refer to Annex C –	Floor Plans and associated drawing					
	Category 1B						
2	1bCHHLX20L48XOSFFSX	Credenza, Partial Height, laminate finish, Depth: 20" X 48" long X Heigh Max 21", with key <u>LEFT side:</u> Open shelf <u>RIGHT side:</u> Filing cabinet	1	Note: Add cushion top on the RIGHT side** Finish Grade B or 2 or higher		\$	\$
3	1bCHHLX20L48XFFOSSX	Credenza, Partial Height, laminate finish, Depth: 20" X 48" long X Heigh Max 21", with key <u>LEFT side:</u> Filing cabinet RIGHT side: Open Shelf	1	Note: Add cushion top on the LEFT side** Finish Grade B or 2 or higher		\$	\$
	Category 2	·					
4	2WSSREXXL30L54BELXX	Individual height adjustable work surfaces, sit/stand position, rectangular, laminate finish, 30X54, height adjustable from 23 to 48.7 inches, electric	9	Note: With grommets and cable storage below the surface included** Finish Grade B or 2 or higher		\$	\$
5	2WSSREXXL30L66BELXX	Individual height adjustable work surfaces, sit/stand position, rectangular, laminate finish, 30X66, height adjustable from 23 to 48.7 inches, electric	2	Note: With grommets and cable storage below the surface included** Finish Grade B or 2 or higher		\$	\$
	Category 5					1	
6	5MOADUARMCLPMTXX XXX	Dual monitor arm, clamp mount ** See Document Annex A for additional specifications (attached)**	30			\$	\$
7	5PMOWKSMTACUSBXXX XX	Power module, work surface mounted, AC and USB power	10	Note: Please include wireless charger for mobile		\$	\$
		**Provide add		ormation:			
	Canada is requesting	bidders: to provide drawings and/or pictures in	cluding de	escriptive literature for the	ese products wit	h your bid subn	nission.
					Pr	oduct Total:	\$



Table 2 – Delivery for Product Categories 1, 2 and 5

	Section A - IU REQ	Section B – SUPPLIER'S BID			
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1 to 7	284 Wellington Street, Ottawa 4 th floor K1A 0H8	2024-07-16	Outside Normal Business Hours	: weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proje finalized del	siness Hours 8:00 – 17:00, as per SA, And ct Authority (PA) will provide the supplic ivery date taking into consideration the not be responsible if the supplier choose	Delivery Total:	\$		

Table 3 – Installation for Product Categories 1, 2 and 5

	Section A - IU REQU	Section B – SUPPLIER'S BID			
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1 to 7	284 Wellington Street, Ottawa, ON, K1A 0H8 4 th Floor	2024-07-16	Outside Normal Business Hours	: weeks from date of supply and delivery Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proje finalized ins	ect Authority (PA) will provide the supplie tallation date taking into consideration the nada will not be responsible if the supplication.	Installation Total:	\$		

Table 4 – Optional Product	Not Applicable
Table 5 – Optional Delivery	Not Applicable
Table 6 – Optional Installation	Not Applicable



Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes					
	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.					
1.1	Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to					
	Canada.	Accommodate the Delivery				
2.	The Supplier's employee	s and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any idiction where the work is being performed.				
-	employees and subcontr	During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.				
2.1	Loading Dock/Location 1					
Α	Location	284 Wellington Street Ottawa K1A 0H8				
В	Dock	Maximum Height is 12 feet 4 inches for trucks				
С	Lift	Yes				
D	Door	Maximum Height is 12 feet 4 inches for trucks				
Ε	Freight Elevator	Available				
F	Other (specify, if					
'	any)					
3.	Continuance of Certif	fications				
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint					
	Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.					
	Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.					
3.1	Integrity Provisions					
3.2	Federal Contractor's Program for Employment Equity					
3.4	Product Conformance	2				
3.5	Price Certification (In	accordance with the SA, Part 6B)				

Table 8 - Bid Evaluation and Contract Total for for Product Categories 1, 2 and 5

(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
5	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4)	\$
6	Contract Price(1 + 2 + 3 + 4):	\$
7	Applicable Tax(es):	\$
8	Total Estimated Cost (6+7):	\$

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract				
		Telephone:			
	Name:	E-Mail:			
		PBN:			



^{*} Applicable taxes extra.

Table 1 – Product Table

GoCUID (Additional product actation may be inserted. If required as per 68. 4.1 of the SA) Category 3 Storage cabinet, 2 doors, medium height, Laminate finish, 30" L X 18" D X 40" High, with vey and interior shelf the SA 1 or higher **TEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** NON-SA Product: Category 3 Storage Cobinet, I Do with Open shelf and 1 filing drawer at bottom, medium height, Laminate finish, 30" L X 18" D X 40" High, with with key 2 or higher **TEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** NON-SA Product: Category 3 **TEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Lockers: Handle on right side **TEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Lockers: Handle on Left side **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Lockers: Handle on Left side **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Lockers: Handle on Left side **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Lockers: Handle on Left side **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Lockers: Handle on Left side **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** **See additional specifications attached ** **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Lockers: Handle on Left side **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Meeting and formation table, fix top, rectangular, column legs, laminate finish, 13" or 3 51" X 29" High, On Casters (lockable) **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Meeting and formation table, fix top, rectangular, column legs, laminate finish, 13" or 3 51" X 29" High, On Casters (lockable) **TIEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Meeting and formation table, fix top, rectangular, column legs, laminate finish, 13" or 3 51" X 29" High, On Casters (lockable) **TIEMS 6, 7, 13 and 14 NEED TO BE CO	Section A - IU REQUIREMENT Section B – SUPPLIER						PLIER'S BID	
Storage cabinet, 2 doors, medium height, Laminate finish, 30° L X 18° D X do'' High, with key and interior shelf and 1 filing drawer at bottom. 3SOPMHXXLM30D18ME COMPATIBLE AND SAME HEIGHT (40°)** Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Inckers, storage closets, one high, laminate, 24°L X18°D, Height 40°, with electronic lock (for assigned employees) Storage Inckers, storage closets, one high, laminate, 24°L X18°D, Height 40°, with electronic lock (for assigned employees) Lockers: Handle on Left side Lockers: Handle on Left side Storage Inckers, storage closets, one high, laminate, 24°L X18°D, Height 40°, with electronic lock (for assigned employees) ""IreMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40°)** Storage Inckers, storage closets, one high, laminate, 24°L X18°D, Height 40°, with electronic lock (for assigned employees) ""See additional specifications attached ** ""IreMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40°)** Moetting and formation table, fix top, rectangular, column legs, laminate finish, 31° X 36° X10° X 29° High, On Casters (lockable) See attached Annex B Finish Grade B or 2 or higher See attached Annex B Finish Grade B or 2 or higher "Include 1 boot trays for each locker** "Include 1 boot trays for each locker** "Include 1 boot trays for each locker** "Include 1 boot trays for ea	#	GoCUID	(Additional product details may be inserted, if required as per 6B. 4.1 of	QTY	Provide additional	Part	Price	Extended Total [Qty x Price] \$
height, Lamimate finish, 30" L x 18" D X 40" High, with key and interior shelf and 1 filing drawer at bottom. Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage Cabinet, Top with Open shelf and 1 filing drawer at bottom. XX Storage lockers, storage closets, one high, laminate, 24" X18"D, Height 40", with electronic lock (for assigned employees) Lockers: Handle on right side Storage lockers, storage closets, one high, laminate, 24" X18"D, Height 40", with electronic lock (for assigned employees) Lockers: Handle on Left side Storage lockers, storage closets, one high, laminate, 24" X18"D, Height 40", with electronic lock (for assigned employees) Storage lockers, storage closets, one high, laminate, 24" X18"D, Height 40", with electronic lock (for assigned employees) See attached Annex 8 Finish Grade B or 2 or higher **Include 1 boot trays for each locker** Lockers: Handle on Left side **See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Meeting and formation table, fix top, rectangular, column legs, laminate finish, 31" X 36" X18" X 29" High, On Casters (lockable) See attached Annex 8 Finish Grade B or 2 or higher **Include 1 boot trays for each locker** Compatible And Same And And NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** See attached Annex 8 Finish Grade B or 2 or higher **Include 1 boot trays for each locker* Compatible And Same And Anex B or 2 or higher **Include 1 boot trays for each locker* Com	Category 3							
and 1 filing drawer at bottom, medium height, Laminate finish, 30" L X18" D X 40" High, with key	1		height, Laminate finish, 30" L X 18" D X 40" High, with key and interior shelf **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT	1			\$	\$
Storage lockers, storage closets, one high, laminate, 24"L X18"D, Height 40", with electronic lock (for assigned employees) ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Lockers: Handle on Left side ** See additional specifications attached ** ** See additional specifications high, laminate, 24"L X18"D, Height 40", with electronic lock (for assigned employees) ** See additional specifications attached ** ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Meeting and formation table, fix top, rectangular, column legs, laminate finish, 18" D X 36"L X 29" High, On Casters (lockable) ** Finish Grade B or 2 or higher **Include 1 boot trays for each locker** **Include 2 boot trays for each locker** **Include 2 poor higher **Include 3 poor 2 or higher **Include 4 poor 2 or higher **Include 4 poor 2 or higher **Include 3 poor 2 or higher	2		and 1 filing drawer at bottom, medium height, Laminate finish, 30" L X 18" D X 40" High, with key **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT	2			\$	\$
high, laminate, 24"L X18"D, Height 40", with electronic lock (for assigned employees) ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Meeting and formation table, fix top, rectangular, column legs, laminate finish, 18"D X 36"L X 29" High, On Casters (lockable) **Inish Grade B or 2 or higher **Include 1 boot trays for each locker** **Include 2 boot trays for each locker** **Include 3 boot trays for each locker** **Include 4 boot trays for each locker* **Include 5 boot trays for each locker* **Include 6 boot trays for each locker* **Include 6 boot trays for each locker* **Include 7 boot		NON-SA Product: Categor	y 3					
high, Taminate, 24"L X18"D, Height 40", with electronic lock (for assigned employees) ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT (40")** Meeting and formation table, fix top, rectangular, column legs, laminate finish, 18"D X 36"L X 29" High, On Casters (lockable) **INTEXTRELL18L36WYYY Meeting and formation table, fix top, rectangular, column legs, laminate finish, 18"D X 36"L X 29" High, On Casters (lockable) See attached Annex B Finish Grade B or 2 or higher See attached Annex B Finish Grade B or 2 or higher See attached Annex B Finish Grade B or 2 or higher	3		high, laminate, 24"L X18"D, Height 40", with electronic lock (for assigned employees) ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT	6	Annex B Finish Grade B or 2 or higher **Include 1 boot trays for each		\$	\$
Meeting and formation table, fix top, rectangular, column legs, laminate finish, 18"D X 36"L X 29" High, On Casters (lockable) Meeting and formation table, fix top, rectangular, column legs, laminate finish, 18"D X 36"L X 29" High, On Casters (lockable) Pinish Grade B or 2 or higher	4		high, laminate, 24"L X18"D, Height 40", with electronic lock (for assigned employees) ** See additional specifications attached ** **ITEMS 6, 7, 13 and 14 NEED TO BE COMPATIBLE AND SAME HEIGHT	2	Annex B Finish Grade B or 2 or higher **Include 1 boot trays for each		\$	\$
	5	6MTRXTRELL18L36WYYY	rectangular, column legs, laminate finish, 18"D X 36"L X 29" High, On	2	grommets, no power and no modesty panel are required** Finish Grade B or 2		\$	\$
**Provide additional information:			**Provide add	itional inf				
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.		Canada is requesting	bidders: to provide drawings and/or pictures in	cluding de	escriptive literature for the	ese products wit	th your bid subr	mission.
Product Total: \$						D	roduct Total	ć



Table 2 - Delivery for Product Category 3

	Section A - IU REQ	Section B – SUPPLIER'S BID			
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1 to 5	284 Wellington Street, Ottawa 4 th floor K1A 0H8	2024-07-16	Outside Normal Business Hours	: weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation for Product Category 3

	Section A - IU REQU	Section B – S	UPPLIER'S BID		
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1 to 5	284 Wellington Street, Ottawa, ON, K1A 0H8 4 th Floor	2024-07-16	Outside Normal Business Hours	: weeks from date of supply and delivery Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proje	ect Authority (PA) will provide the supplies stallation date taking into consideration the nada will not be responsible if the supplication.	Installation Total:	\$		

Table 4 – Optional Product	Not Applicable
Table 5 – Optional Delivery	Not Applicable
Table 6 – Optional Installation	Not Applicable



Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes				
	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.				
1.1	Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.				
	Canada's Facilities to	Accommodate the Delivery			
2.	The Supplier's employee	s and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any diction where the work is being performed.			
۷.	During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.				
2.1	Loading Dock/Location 1				
Α	Location	284 Wellington Street Ottawa K1A 0H8			
В	Dock	Maximum Height is 12 feet 4 inches for trucks			
С	Lift	Yes			
D	Door	Maximum Height is 12 feet 4 inches for trucks			
Ε	Freight Elevator	Available			
F	Other (specify, if any)				
3.	Continuance of Certif	fications			
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint				
	Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.				
	Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.				
3.1	Integrity Provisions				
3.2	Federal Contractor's Program for Employment Equity				
3.4	Product Conformance	2			
3.5	Price Certification (In	accordance with the SA, Part 6B)			

Table 8 - Bid Evaluation and Contract Total for Product Category 3

(Canada may complete if not completed by the Bidder)

1000	and may complete if not completed by the bladely					
1	Firm Product Total (Table 1)	\$				
2	Firm Delivery Total (Table 2)	\$				
3	Firm Installation Total (Table 3)	\$				
4	Hardware Total as per article 1.5 of Annex A-1 of SA	\$				
5	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4)	\$				
6	Contract Price(1 + 2 + 3 + 4):	\$				
7	Applicable Tax(es):	\$				
8	Total Estimated Cost (6+7):	\$				

^{*} Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract				
		Telephone:			
	Name:	E-Mail:			
		PBN:			



Product Category: 6

Table 1 – Product Table

		Section A - IU REQUIREMENT			Sec	tion B – SUPP	LIER'S BID
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
	Category 6						
1	6CCLVAROPL36XXXAvXX	Table for collaboration zone, low meeting table for collaboration zone, round, Base: Pedestal, Laminate finish, 36" DIA X Height 29"	2	Note: no grommets and no power are required** Finish Grade B or 2 or higher		\$	\$
2	6SUCROXXLUX8XXXLXXX	Upholstered seating, upholstered stool with casters, round, fabric upholstered, DIA >18 inches, height 16 to 19 inches	8	Note: Stable, minimum 5 casters Finish Grade B or 2 or higher		\$	\$
	**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.						
					Pr	oduct Total:	\$

Table 2 - Delivery for Product Category 6

	Section A - IU REQ	Section B – SUPPLIER'S BID			
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1 to 2	284 Wellington Street, Ottawa 4 th floor K1A 0H8	2024-07-16	Outside Normal Business Hours	: weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proje finalized del	ect Authority (PA) will provide the supplie livery date taking into consideration the not be responsible if the supplier choose	Delivery Total:	\$		

Table 3 – Installation for Product Category 6

	Section A - IU REQU	Section B – SUPPLIER'S BID			
Product Item # from Table 1	Location	Desired Date** (YYYY-MM-DD)	Desired Time: Normal Business Hours or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1 to 2	284 Wellington Street, Ottawa, ON, K1A 0H8 4 th Floor	2024-07-16	Outside Normal Business Hours	: weeks from date of supply and delivery Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$



*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5		
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.	Installation Total:	\$

Table 6 – Optional Installation

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

Not Applicable

1.	Standard Finishes	es and Canada's Facilities to Accommodate the Delivery and Certifications				
	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.					
1.1	Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.					
	The Contractor will of Canada.	deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to				
2.	The Supplier's employe laws in effect in the jur	o Accommodate the Delivery res and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any isdiction where the work is being performed.				
	During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.					
2.1	Loading Dock/Locati	on 1				
Α	Location	284 Wellington Street Ottawa K1A 0H8				
В	Dock	Maximum Height is 12 feet 4 inches for trucks				
С	Lift	Yes				
D	Door	Maximum Height is 12 feet 4 inches for trucks				
E	Freight Elevator	Available				
F	Other (specify, if any)					
3.	Continuance of Cert	ifications				
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.					
	Canada may request	copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.				
3.1	Integrity Provisions					
3.2	Federal Contractor's	Program for Employment Equity				
3.4	Product Conformand	ce				
3.5	Price Certification (In	n accordance with the SA, Part 6B)				

Table 8 - Bid Evaluation and Contract Total for Product Category 6

(Canada may complete if not completed by the Bidder)

Team	add may complete if not completed by the Biddery	
1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
5	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4)	\$
6	Contract Price(1 + 2 + 3 + 4):	\$
7	Applicable Tax(es):	\$
8	Total Estimated Cost (6+7):	\$

^{*} Applicable taxes extra.



Table 9 - Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract				
		Telephone:			
	Name:	E-Mail:			
		PBN:			



ANNEX B SECURITY REQUIREMENTS

A. The security requirements set out in the attached Security Requirements Check List (SRCL) apply to and form part of the Contract.

		Gouvernement			Contract Number / Numéro du c	ontrat
■ T ■ 0	f Canada	du Canada			Security Classification / Classification	de sécurité
					N/A	
PART A - CONTE		LISTE DE VÉRIFIC	ECURITY REQUIREMENT CATION DES EXIGENCI INFORMATION CONTRA	ES RELATIVE	LIST (SRCL) ES À LA SÉCURITÉ (LVERS)	
		artment or Organization		OTOLLLL	2. Branch or Directorate / Direction gé	nérale ou Direction
Ministère ou or	rganisme gouv	ernemental d'origine	Department of Justice C	anada	Corporate Services Branch	
	Number / Num	néro du contrat de so	us-traitance 3. b) Na	ame and Addres	ss of Subcontractor / Nom et adresse d	u sous-traitant
N/A 1 Brief Description	on of Work / Br	ève description du tra	evail			
		ure at EMB 4th floor				
,						
		cess to Controlled Go				No Yes
		ès à des marchandis				Non L Ou
		cess to unclassified r	military technical data subje	at to the provision	ons of the Technical Data Control	No Yes
Regulations		ès à des données ter	chniques militaires non clas	sifiées qui sont :	assujetties aux dispositions du Règlem	ent Non L Oui
	le des donnée		anniques minianes non das	Alloco qui soni	assayemes aux dispositions au regioni	uni
Indicate the ty	pe of access re	equired / Indiquer le ty	ype d'accès requis			
6. a) Will the sup	plier and its em	ployees require acce	ess to PROTECTED and/or	CLASSIFIED in	formation or assets?	No Yes
				ts ou à des bier	ns PROTÉGÉS et/ou CLASSIFIÉS?	Non Ou
		s using the chart in Q		7 0		
			u qui se trouve à la question rs. maintenance personnel)		to restricted access areas? No access	to No Ye
			or assets is permitted.	require access	to restricted decess decas. The decess	Non L Ou
					des zones d'accès restreintes? L'accè	is .
			ÉS et/ou CLASSIFIÉS n'es			O No OVe
			nent with no overnight stora son commerciale sans entre		?	No Yes
7. a) Indicate the		_			d'information auquel le fournisseur de	
	Canada	V	NATO / OTA	N	Foreign / Étran	ger
		rictions relatives à la				
No release restri Aucune restriction		~	All NATO countries Tous les pays de l'OTAN		No release restrictions Aucune restriction relative	. \square
à la diffusion		•	l tous les pays de l'elliet		à la diffusion	
	1					
Not releasable			1			
À ne pas diffuse	er '	_				
Restricted to: / L	Limité à :		Restricted to: / Limité à :		Restricted to: / Limité à :	
Specify country	(ies): / Préciser	le(s) pays :	Specify country(ies): / Pre	ciser le(s) pays	s: Specify country(ies): / Pro	éciser le(s) pays :
-,,	(,	(-)	, , , , , , , , , , , , , , , , , , , ,		a specificación de la company	
7. c) Level of info	rmation / Nives	au d'information				
PROTECTED A			NATO UNCLASSIFIED		PROTECTED A	
PROTÉGÉ A	L		NATO NON CLASSIFIÉ		PROTÉGÉ A	
PROTECTED B	·		NATO RESTRICTED		PROTECTED B	
PROTÉGÉ B		_	NATO DIFFUSION REST	REINTE L	PROTÉGÉ B	
PROTECTED C	; [NATO CONFIDENTIAL		PROTECTED C	
PROTÉGÉ C		=	NATO SECRET		PROTÉGÉ C CONFIDENTIAL	
CONFIDENTIAL			NATO SECRET NATO SECRET		CONFIDENTIAL	
SECRET		=	COSMIC TOP SECRET		1 SECRET	F
SECRET	L		COSMIC TRÈS SECRET		SECRET	
TOP SECRET					TOP SECRET	
TRÈS SECRET	<u> </u>				TRÈS SECRET	
TOP SECRET (TOP SECRET (SIGINT)	
TRÈS SECRET	(SIGINT) L				TRÈS SECRET (SIGINT) [
TD 0 10 CT						
TBS/SCT 350-1	03(2004/12)		Security Classification / (Classification de	sécurité	Canadä





Contract Number / Numéro du contrat
Security Classification / Classification de sécurité N/A

	nd/or CLASSIFIED COMSEC information or assets? ts ou à des biens COMSEC désignés PROTÉGÉS et/o	u CLASSIFIÉS?	No Yes Non Oui			
9. Will the supplier require access to extremely sens	tive INFOSEC information or assets?	Ī.	No Yes			
Le fournisseur aura-t-il accès à des renseignemer	ts ou à des biens INFOSEC de nature extrêmement dé	licate?	Non LOui			
Short Title(s) of material / Titre(s) abrégé(s) du ma Document Number / Numéro du document :	tériel :					
PART B - PERSONNEL (SUPPLIER) / PARTIE B -						
10. a) Personnel security screening level required / N	liveau de contrôle de la sécurité du personnel requis					
RELIABILITY STATUS COTE DE FIABILITÉ	CONFIDENTIAL SECRET SECRET	TOP SECRET TRÈS SECRET				
TOP SECRET – SIGINT TRÈS SECRET – SIGINT	NATO CONFIDENTIAL NATO SECRET					
SITE ACCESS ACCÈS AUX EMPLACEMENTS						
Special comments: Commentaires spéciaux :						
	are identified, a Security Classification Guide must be pro- le contrôle de sécurité sont requis, un guide de classific		ı.			
 b) May unscreened personnel be used for portion Du personnel sans autorisation sécuritaire per 		Γ	No Yes Non Oui			
If Yes, will unscreened personnel be escorted		F	No Yes			
Dans l'affirmative, le personnel en question se	ra-t-il escorté?	L	Non Oui			
PART C - SAFEGUARDS (SUPPLIER) / PARTIE C	, , , , , , , , , , , , , , , , , , , ,					
INFORMATION / ASSETS / RENSEIGNEMEN	TS / BIENS					
premises?	ore PROTECTED and/or CLASSIFIED information or as intreposer sur place des renseignements ou des biens P	•	No Yes Non Oui			
11. b) Will the supplier be required to safeguard COI	ASEC information or assets?	_	¬ No □Yes			
Le fournisseur sera-t-il tenu de protéger des re		•	Non Oui			
PRODUCTION						
11. c) Will the production (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment occur at the supplier's site or premises? Les installations du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériel PROTÉGÉ et/ou CLASSIFIÉ?						
INFORMATION TECHNOLOGY (IT) MEDIA / SU	PPORT RELATIF À LA TECHNOLOGIE DE L'INFORMA	ITION (TI)				
11. d) Will the supplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED Information or data? Le fournisseur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des renseignements ou des données PROTÉGÉS et/ou CLASSIFIÉS?						
renseignements ou des données PROTEGES étou CLASSIFIES? 11. e) Will there be an electronic link between the supplier's IT systems and the government department or agency? Disposera-t-on d'un lien électronique entre le système informatique du fournisseur et celui du ministère ou de l'agence gouvernementale?						
TROUGHT OF A 400/0004****	Consider Change and a Change at a change a					
TBS/SCT 350-103(2004/12)	Security Classification / Classification de sécurité N/A	(ิลnadä			
	IWA	,	allada			



	Government	Gouvernement
*	of Canada	du Canada

Contract Number / Numéro du contrat

Security Classification / Classification de sécurité N/A

DARTC	(continued	I / DADTI	E C	fortilled.
PART C-	comunica	// PAR II	E C - I	suitei

For users completing the form manually use the summary chart below to indicate the category(ies) and level(s) of safeguarding required at the supplier's site(s) or premises.

Les utilisateurs qui remplissent le formulaire manuellement doivent utiliser le tableau récapitulatif ci-dessous pour indiquer, pour chaque catégorie, les niveaux de sauvegarde requis aux installations du fournisseur.

For users completing the form online (via the Internet), the summary chart is automatically populated by your responses to previous questions. Dans le cas des utilisateurs qui remplissent le formulaire en ligne (par Internet), les réponses aux questions précédentes sont automatiquement saisies dans le tableau récapitulatif.

SUMMARY CHART / TABLEAU RÉCAPITULATIF

Category Catégorie	PROTECTED PROTÉGÉ			CLASSIFIED CLASSIFIÉ			NATO				COMSEC					
	A B C		С	CONFIDENTIAL SECRET		TOP SECRET	NATO NATO RESTRICTED CONFIDENTIAL		NATO SECRET	COSMIC TOP	PROTECTED PROTÉGÉ			CONFIDENTIAL	SECRET	TOP SECRET
				CONFIDENTIEL		TRÉS SECRET	NATO DIFFUSION RESTREINTE	NATO CONFIDENTIEL		SECRET COSMIC TRÉS SECRET	A	В	С	CONFIDENTIEL		TRES SECRET
Information / Assets Renseignements / Biens																
Production																
IT Media /	-					_										
Support TI																
IT Link / Lien électronique																
12. a) Is the description of the work contained within this SRCL PROTECTED and/or CLASSIFIED? La description du travail visé par la présente LVERS est-elle de nature PROTÉGÉE et/ou CLASSIFIÉE?																
If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification". Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée « Classification de sécurité » au haut et au bas du formulaire.																

If Yes, classify this form by annotating the top and bottom in the area entitled "Security Classification" and indicate with
attachments (e.g. SECRET with Attachments).
Dans l'affirmative, classifier le présent formulaire en indiquant le niveau de sécurité dans la case intitulée
« Classification de sécurité » au haut et au bas du formulaire et indiquer qu'il y a des pièces jointes (p. ex. SECRET avec
des pièces jointes).

12. b) Will the documentation attached to this SRCL be PROTECTED and/or CLASSIFIED?

La documentation associée à la présente LVERS sera-t-elle PROTÉGÉE et/ou CLASSIFIÉE?

TBS/SCT	350-103	2004/12
---------	---------	---------

Security Classification / Classification de sécurité N/A Canadä



Oui

ANNEX C FLOOR PLANS

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).

As a minimum the product listing must include the following information:

- Supplier part numbers including NSA products forming part of this category;
- brief product descriptions;
- quantities;
- firm unit prices
- c) Bidders must provide a <u>stackable panel system</u> that consists of a Base panel with the required add-on module(s) as defined in the panel matrix of this requirement.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only*****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

*At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".

Category 1a Requirement:

1) Floor Plan

Email Shaun.Revill@justice.qc.ca for pdf and/or AutoCAD floor plan

2) Panel Details


- a. All required panel heights: Seated Privacy Add-on Height;
- b. When power is required, the power is located below work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: Power Pole.
- d. Component System Accessories:
- 1. Panel mounted accessories integrated into the panel frame will be shown on the floor plan. Accessories attached to the panel separately must be specified (accessory rails tackable surfaces, whiteboards...).
- 2. When Accessory rails are required, the accessories must be specified: a paper sorter, a tray, a bin, a telephone holder (etc.) (refer to full SA specification for more information).

3) Panel Matrix and Workstation Layout

***See attached Panel Matrix ***




a. Panel Matrix





b. Workstation Layout

- The floor plan takes precedence over any discrepancies with workstation layouts.
- Where two or more typical workstations have a common partition column, the interior finishes of the workstation must be as described in the Typical Data Sheets and NO PARTITION SHALL BE SUPERPOSED. If there is no adjacent workstation, please refer to the Data Sheet for finish criteria.
- If a typical workstation has a power source and the other workstation does not a power source will be required for both workstations. Include workstation layouts (in the form of typical data sheets or 3-D drawings) here or as a separate attachment to this IAS.





ANNEX D ADDITIONAL SPECIFICATIONS

CATEGORY 5:

- Low profile base with clamp for both single and dual monitor arms
- Tilts 135 degree in total (105 degrees above horizontal, and 30 degrees below)
- At least 18" of focal depth adjustment
- 360 degrees of rotation
- Provides rotation from portrait to landscape
- Each arm has at least 18" inches of total extension
- Each arm is capable of at least 23" height adjustment above the worksurface
- Arm folds into itself to less than 5" deep when fully compressed.
- Integrated wire management
- Each arm to provide independent movement
- Dual monitors must be side by side
- Must accommodate up to 27" monitor equally side by side



^{**}For monitors on glass partition: post stop must be provided**

ANNEX E ADDITIONAL SPECIFICATIONS – NON-SUPPLY ARRANGEMENT CATEGORY

Storage Lockers NON-SA: CAT 3

Description:

- Each compartment must be lockable by keyless (electronic)
- Must be available in One-high option (left and right opening)
- Personal storage units must be capable of ganging side-to-side
- Product and installation must follow health and safety regulation
- Back of the lockers must be finish in laminate as well
- Two selection of laminate per lockers (2 colors of laminate)
- · Doors must be able to be install opening left or right based on floor plan
- Master key must be provided: 5 master keys in total

Item 13 and 14: One-high	
	One-high personal storage lockers must be provided with a coat
	rod or 2 hooks, a minimum of one (1) shelf and a boot tray (plastic).
8	Sizes: 24 inches Wide X 18 inches Depth X 40 inches high
	Quantity: 6 with handle on right side and 2 with handle on left side = Total of 8 lockers

Finishes:

 Must be available in high-pressure laminate, or low-pressure laminate. Price must include two selection of laminate per lockers.

Power and data:

N/A

Support/Bases:

Levelling glides no higher than 76mm (3 in.).



ANNEX F ADDITIONAL SPECIFICATIONS, CERTIFICATIONS

This Annex includes the additional Specifications, Certifications associated with NSA product forming part of the requirement.	
1. Specifications	
2. Certifications	
2.1 NSA Product Conformance (Required precedent to Issuance of a contract)	
The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and E of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.	

NSA Product Conformance Certification (applies after contract award)

Supplier's Signature

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

Date

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.

