

# Black's Harbour

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	Mooring Change Date
5078.3000	KA3	45-2-20.27	66-49-11.94	Mink Island KA3	Year Round	Green	1.5m SB 98 Plastic	900 kg Concrete anchor	20 mm	41	3	2022
5078.4000	KA4	45-2-56.27	66-48-17.94	Blacks Harbour Outer KA4	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	26 mm	18	3	2022
5078.5000	KA5	45-3-1.5	66-48-24	Blacks Harbour Middle KA5	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	26 mm	10	3	2022
5078.7000	KA7	45-3-7	66-48-7	Blacks Harbour Inner KA7	Year Round	Green	0.6m SB 60 Spar Can PI	1820 kg Concrete anchor	26 mm	18	3	2022
5079.2000	KD2	45-2-12.5	66-47-25	Deadman Head KD2	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	20 mm	55	3	2022
5080.2000	KE2	45-3-52.5	66-43-47	Beaver Harbour KE2	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	20 mm	41	3	2022
5080.3000	KE3	45-4-6	66-44-3	Wright Bluff KE3	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	20 mm	27	3	2022
5080.5000	KE5	45-3-59	66-43-28	Calder Ledge KE5	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	20 mm	27	3	2022
5080.6000	KE6	45-4-7.5	66-43-24	Pollock Rock KE6	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	20 mm	27	3	2022
5087.2000	KJA	45-7-12	66-30-18	Stay Point KJA	Year Round	Yellow-Black	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	20 mm	27	3	2022

# Grandique

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	Mooring Change Date
6114.1000	XQ2	0-0-0	0-0-0	Grandique red conical buoy XQ2	Seasonal	Red	0.4m SB 40 Conical Plastic	90 kg Concrete anchor	14 mm	6	3	2021
6114.2500	XQ3	--	--	Grandique Green can buoy XQ3	Seasonal	Green	0.8m SB 75 Can Plastic	90 kg Concrete anchor	14 mm	8	3	2021
6114.3400	STK16	46-17-0	64-33-0	Grandique - 16 (Green) STK16	Seasonal		Stakes					
6114.3300	STK13	46-17-0	64-33-0	Grandique - 13 (Red) STK13	Seasonal		Stakes					
6114.2800	XQ8	46-17-11.4	64-32-6	Grandique Red Conical buoy XQ8	Seasonal	Red	0.4m SB 40 Conical Plastic	90 kg Concrete anchor	14 mm	5	3	2021
6114.2600	XQ4	46-17-22.2	64-31-4.86	Grandique Red Conical buoy XQ4	Seasonal	Red	0.4m SB 40 Conical Plastic	90 kg Concrete anchor	14 mm	0	3	2021
6114.2700	XQ6	46-17-17.4	64-31-54	Grandique Red Conical buoy XQ6	Seasonal	Red	0.4m SB 40 Conical Plastic	90 kg Concrete anchor	14 mm	5	3	2021

# Letete

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	Mooring Change Date
73.2500	SJ1	45-2-10.7	66-54-54.36	Parker Island Light Buoy SJ1	Year Round	Green	1.5m SB 98 Plastic	900 kg Concrete anchor	26 mm	18	3	2022
73.5000	SJA	45-2-9.9	66-55-7.32	Parker Island Isolated Danger Light Buoy SJA	Year Round	Black-Red-Black	1.25m Plastic Can	1000 kg Serrated anchor	26 mm	18	3	2022
73.7500	SJB	45-2-10.02	66-55-18.48	Jameson Island Isolated Danger Light Buoy SJB	Year Round	Black-Red-Black	0.6m SB 60 Spar Can PI	1000 kg Serrated anchor	20 mm	14	3	2022
74.2000	SJ2	45-2-11.82	66-55-24.24	Macks Ledge Light Buoy SJ2	Year Round	Red	1.5m SB 98 Plastic	1000 kg Serrated anchor	26 mm	18	3	2022
75.3200	SQ4	45-2-57.77	66-53-53.24	Little Letete Passage Light Buoy SQ4	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	26 mm	13	3	2022
75.4300	SJ4	45-2-3.24	66-56-.72	New Ireland Ledge Light Buoy SJ4	Year Round	Red	1.5m SB 98 Plastic	1150 kg Concrete anchor	26 mm	18	3	2022
5056.8000	S8	45-2-58.27	66-54-19.94	Thumcap S8	Year Round	Red	GDI 1.22m Conical	1820 kg Concrete anchor	20 mm	27	3	2020
70.1500	SQ2	45-2-48.27	66-54-.44	Letete Outer Light Buoy SQ2	Year Round	Red	SB-138 Plastic(Tideland)	1820 kg Concrete anchor	26 mm	8	3	2022
5052.1000	UA	44-57-19	66-56-37.5	Halibut Rock North UA	Year Round	Black-Yellow	0.6m SB 60 Spar Can PI	600 kg Serrated anchor	20 mm	27	3	2022
5056.2000	S4	45-2-37.77	66-53-47.94	Chambers Rock S4	Year Round	Red	0.75m SB 105 Conical	600 kg Serrated anchor	20 mm	36	3	2022
5070.1000	SD2	45-1-30.27	66-52-13.94	Eagle Island SD2	Year Round	Red	0.6m SB 60 Spar Conical PI	1000 kg Serrated anchor	20 mm	55	3	2022
5070.7000	SA3	45-1-40	66-50-52	Man of War West SA3	Year Round	Green	GDI 1.22m Can	1820 kg Concrete anchor	20 mm	46	3	2022
5070.9000	SA5	45-1-49.9	66-50-41.1	Man of War East SA5	Year Round	Green	GDI 1.22m Can	1820 kg Concrete anchor	26 mm	55	3	2022
5072.1200	SHA	45-1-0	66-54-56.8	Hardwood Island SHA	Year Round	Black-Yellow-Black	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	20 mm	42	3	2022
5072.1400	SHB	45-0-49.8	66-55-4.5	Mackerel Rock SHB	Year Round	Black-Yellow-Black	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	20 mm	54	3	2022
5072.1600	SHC	45-0-38.27	66-56-4.94	Lambertville North SHC	Year Round	Black-Yellow-Black	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	20 mm	18	3	2022
5072.1800	SH8	45-0-26.27	66-56-10.94	Lambertville South SH8	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	20 mm	27	3	2022

5072.6000	SE4	45-2-8.27	66-52-15.94	Back Bay SE4	Year Round	Red	0.6m SB 60 Spar Conical PI	1000 kg Serrated anchor	20 mm	18	3	2022
5072.7000	SE5	45-3-8.27	66-51-39.94	Back Bay Ledge SE5	Year Round	Green	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	20 mm	27	3	2022
5075.2000	SK2	45-1-40.4	66-54-25	New Lid Ledge SK2	Year Round	Red	1.2m Coastal Conical	800 kg Serrated anchor	26 mm	27	3	2022
5076.0000	SA2	45-1-2.9	66-51-13.4	Bliss Island Spar SA2	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	26 mm	27	3	2022
55.0000	SH10	45-0-6.8	66-56-22	Simpson Head Light Buoy SH10	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	20 mm	18	3	2022
70.2500	SQ3	45-3-0	66-53-57.4	Letete Inner Lighted Spar SQ3	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	26 mm	13	3	2022
72.1000	SE8	45-3-18.27	66-51-43.94	Leavitts Light Buoy SE8	Year Round	Red	2ft 11in Tideland/NPL (WB-390)	900 kg Concrete anchor	14 mm	18	3	2022
72.5000	SE2	45-1-52.74	66-52-21.936	Califf Rock light buoy SE2	Year Round	Red	1.25m Plastic Con	400 kg Serrated anchor	26 mm	40	3	2022
70.0000	SQ	45-2-52.97	66-54-7.14	Letete Light Buoy SQ	Year Round	Red-White	1.4m Buoy	1000 kg Serrated anchor	32 mm	40	3	2022
5074.9000	S1	45-0-52.2	66-53-20.1	Adam Island Spar BuoyS1	Year Round	Green	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	20 mm	41	3	2021

# Magaguadavic River

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	Mooring Change Date
5075.1000	SM4	45-6-28.998	66-53-45.3	Dicks Wharf SM4	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1100	SM5	45-6-36.84	66-53-44.76	Dewars Point SM5	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1200	SM6	45-6-32.4	66-53-20.94	Dicks Ledge SM6	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1300	SM7	45-6-40.311	66-53-17.797	Middle Shoal SM7	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	18	3	2020
5075.1400	SM8	45-6-49.152	66-53-5.55	Mckenzie Bar SM8	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1500	SM9	45-6-51.627	66-53-1.862	Middle Ground SM9	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1600	SM10	45-7-13.86	66-52-18.48	Grearsons Ledge SM10	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1800	SM12	45-7-21.54	66-52-18	Grearsons Ledge SM12	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1820	SM12/2	45-7-23.16	66-52-12.12	Magaguadavic Red Spar SM12/2	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1900	SM13	45-7-18.566	66-51-49.182	Manns Bay SM13	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1940	SM14	45-7-15.6	66-51-1.8	Seeley Head SM14	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.1950	SM15	45-7-18	66-50-2	Shipyard Point SM15	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.2100	SM17	45-7-34.92	66-49-30.3	New Channel Entrance SM17	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5075.8000	SM2	45-6-59.67	66-54-23.927	Midjik Bluff SM2	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	450 kg Concrete anchor	14 mm	18	3	2020
5075.1970	SM15/5	45-7-24.24	66-49-49.62	Durham's Ledge Spar SM15/5	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020

# Musquash River to Dipper Harbour

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	Mooring Change Date
5090.2	KN2	45-5-31	66-24-34.4	Campbell's Point KN2	Year Round	Red	0.6m SB 60 Spar Conical Pl	600 kg Serrated anchor	20 mm	27	3	2022.07.30
5090.4	KN4	45-5-47.3	66-25-.9	Dry Rock KN4	Year Round	Red	GDI 0.9m Conical	900 kg Concrete anchor	32 mm	15	3	2022.07.30
5091.1	KP1	45-6-13.3	66-21-19.9	Alice Rogers KP1	Year Round	Green	GDI 1.22m Tower	1000 kg Serrated anchor	32 mm	55	3	2022.07.30
5092.1	KS1	45-7-7.3	66-20-36.9	Chance Harbour KS1	Year Round	Green	0.6m SB 60 Spar Can Pl	1000 kg Serrated anchor	32 mm	41	3	2022.07.30
5092.5	KS3	45-7-28.26	66-20-42	Mawhinney Rock KS3	Year Round	Green	0.6m SB 60 Spar Can Pl	900 kg Concrete anchor	32 mm	18	3	2022.07.30
5096.1	KT10	45-10-24.8	66-14-25.4	Musquash River KT10	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022.07.30
5096.11	KT11	45-10-35.3	66-14-31.4	Musquash River KT11	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022.07.30
5096.12	KT12	45-10-46.3	66-14-33.9	Musquash River KT12	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022.07.30
5096.14	KT14	45-10-58.3	66-14-45.2	Musquash River KT14	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	900 kg Concrete anchor	14 mm	13	3	2022.07.30
5096.15	KT15	45-11-.3	66-15-3	Musquash River KT15	Year Round	Green	0.3m Spar Can-Plastic (ORT)	180 kg Concrete anchor	14 mm	13	3	2023.07.31
5096.16	KT16	45-11-2.8	66-15-7	Musquash River KT16	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	180 kg Concrete anchor	14 mm	13	3	2022.07.30
5096.4	KT4	45-9-42.3	66-14-38.7	Musquash Ledges KT4	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022.07.30
5096.5	KT5	45-9-56.3	66-14-34.5	Musquash River Entrance KT5	Year Round	Green	0.3m Spar Can-Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022.07.30
5096.6	KT6	45-9-55.3	66-14-31.9	Musquash River Entrance KT6	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022.07.31
5096.7	KT7	45-10-9	66-14-30	Musquash River KT7	Year Round	Green	0.3m Spar Can-Plastic (ORT)	180 kg Concrete anchor	14 mm	13	3	2022.07.31
5096.8	KT8	45-10-14.5	66-14-26	Musquash River KT8	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022.07.31
5097.3	JA3	45-11-36.8	66-8-41	Reids Rock JA3	Year Round	Green	0.6m SB 60 Spar Can Pl	900 kg Concrete anchor	14 mm	13	3	2022.04.24

# Quoddy River

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	Mooring Change Date
5039.8000	UA2	44-49-48.5	66-57-16	Gooseberry Ledge UA2	Year Round	Red	0.6m SB 60 Spar Conical PI	800 kg Serrated anchor	20 mm	18	3	2022
5051.1000	UP6	44-59-15.5	66-56-45	Northwest Harbour East Entrance UP6	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	20 mm	18	3	2022
5051.2000	UP2/2	44-59-11.64	66-56-7.86	St. Helena Ledge Buoy UP2/2	Year Round	Red	GDI 1.22m Conical	1000 kg Serrated anchor	26 mm	41	3	2022
5052.2000	US2	44-58-50	66-56-39.5	Net Ledge US2	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	450 kg Concrete anchor	14 mm	18	3	2022
5051.7000	UPA	44-58-57	66-56-14.7	Dinner Island Ledge East UPA	Year Round	Yellow-Black	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	20 mm	27	3	2022
5051.8000	UP4	44-59-10	66-56-42	Northwest Harbour Ledge UP4	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	20 mm	27	3	2022
5052.1100	UX1	44-54-56	66-55-39	Harbour Delute UX1	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	20 mm	18	3	2022
5052.3000	UB	44-57-6.1002	66-56-45	Halibut Rock South UB	Year Round	Yellow-Black	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	26 mm	27	3	2022
5052.5000	UVA	44-59-38.8	66-55-29.8	Bean Ledge South UVA	Year Round	Yellow-Black	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	20 mm	18	3	2022
5052.7000	UVB	44-59-45.27	66-55-23.94	Bean Ledge East UVB	Year Round	Yellow-Black	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	20 mm	18	3	2022
5052.9000	UVC	44-59-57.27	66-55-18.94	Bean Ledge North UVC	Year Round	Yellow-Black	0.6m SB 60 Spar Can PI	800 kg Serrated anchor	20 mm	27	3	2022
52.2500	UP7	44-59-43	66-56-35	Richardson Wharf Light Buoy UP7	Year Round	Green	0.6m SB 60 Spar Can PI	600 kg Serrated anchor	20 mm	18	3	2022
52.5500	SA	44-59-55.98	66-52-43.98	North Rock Isolated Danger Light Buoy SA	Year Round	Red-Black	SB 60	1000 kg Serrated anchor	26 mm	28	3	2022
5040.0100	UE1	44-56-40	66-54-2	Mill Cove Road UE1	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	20 mm	18	3	2022
5040.1000	UD	44-56-12.29	66-53-54	Mill Cove UD	Year Round	Yellow-Black	0.6m SB 60 Spar Can PI	600 kg Serrated anchor	20 mm	37	3	2022
5040.2000	UE	44-56-59.1	66-54-28.8	Birch Island West UE	Year Round	Black-Yellow	0.6m SB 60 Spar Can PI	600 kg Serrated anchor	20 mm	18	3	2022
5040.3000	UE3	44-56-52.5	66-54-27.5	Fancy Rock UE3	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	20 mm	27	3	2022
51.5000	UP2	44-58-53	66-54-57.3	Hospital Island Ledge Light Buoy UP2	Year Round	Red	1.5M GDI HDPE skirt	1820 kg Concrete anchor	26 mm	55	3	2020
45.0000	UT2	44-58-6	66-57-10	Leonardville Harbour Entrance Light Buoy UT2	Year Round	Red	0.6m SB 60 Spar Conical PI	1000 kg Serrated anchor	20 mm	27	3	2022

# St. Andrews & Chamcook Channel

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	Mooring Change Date
63.0000	SY4	45-4-13.774	67-4-23.961	Niger Reef Light Spar SY4	Year Round	Red	0.6m SB 60 Spar Conical PI	1000 kg Serrated anchor	26 mm	18	3	2022
5065.1000	SX1	45-3-8.08	67-2-20.954	St. Andrews Island SX1	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	26 mm	13	3	2022
5065.2000	SX2	45-3-39.281	67-0-33.457	Tongue Shoal SX2	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	26 mm	27	3	2022
5066.1000	SX10	45-4-.278	67-2-46.459	St. Andrews East Middle SX10	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	26 mm	13	3	2022
5066.1100	SX11	45-4-2.708	67-2-54.835	St. Andrews East Middle SX11	Year Round	Green	0.6m SB 60 Spar Can PI	600 kg Serrated anchor	26 mm	18	3	2020
5066.4000	SX4	45-3-47.345	67-1-44.447	Short Bay SX4	Year Round	Red	0.6m SB 60 Spar Conical PI	800 kg Serrated anchor	26 mm	18	3	2022
5066.5000	SX5	45-3-43.972	67-2-10.167	St. Andrews East Entrance SX5	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	26 mm	27	3	2022
5066.7000	SX7	45-3-51.419	67-2-35.532	St. Andrews East Outer SX7	Year Round	Green	0.6m SB 60 Spar Can PI	900 kg Concrete anchor	26 mm	13	3	2022
5066.8000	SX8	45-3-53.044	67-2-34.57	St. Andrews East Outer SX8	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	26 mm	13	3	2022
5075.3900	SU3	45-7-12.168	67-2-45.955	Chamcook SU3	Year Round	Green	0.75m SB 105 Can	900 kg Concrete anchor	20 mm	13	3	2021
5067.2000	SY2	45-3-56.574	67-4-34.204	Niger Reef SY2	Year Round	Red	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	26 mm	27	3	2022
5067.6000	SY6	45-4-13.794	67-3-51.279	St. Andrews West Middle SY6	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022
5067.8000	SY8	45-4-13.799	67-3-35.509	St. Andrews West Inner SY8	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2022
5075.4000	SU4	45-7-15.178	67-2-46.953	Chamcook Channel SU4	Year Round	Red	0.75m SB 105 Conical	900 kg Concrete anchor	20 mm	13	3	2022
5075.4200	SV	45-4-11.279	67-1-13.458	Pagan Point East SV	Year Round	Yellow-Black	0.6m SB 60 Spar Conical PI	900 kg Concrete anchor	26 mm	13	3	2022



# St. Croix River

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	Mooring Change Date
58.7000	S18	45-10-0	67-11-30	Spruce Point Light Spar S18	Seasonal (in place year round)	Red	0.6m SB 60 Spar Conical Pl	900 kg Concrete anchor	26 mm	18	3	2020
5058.1400	S24	45-9-49.5	67-13-25	Hills Point East S24	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
58.6000	S16	45-9-51	67-9-38	Oak Point Light Buoy S16	Seasonal (in place year round)	Red	0.6m SB 60 Spar Conical Pl	600 kg Serrated anchor	26 mm	13	3	2020
5058.1000	S20	45-10-9.733	67-12-32.88	Marks Point S20	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5058.1200	S22	45-10-2.454	67-12-56.829	Yellow Rock S22	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5058.1600	S26	45-9-53.268	67-13-41.984	Hills Point West S26	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5058.1800	S28	45-10-21	67-14-27	Hannah Point S28	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5058.2000	S30	45-10-58.264	67-15-11.992	Williams Point S30	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5058.2200	S32	45-11-13	67-15-39	Crockers Island S32	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5058.2400	S34	45-11-27.814	67-16-9.11	Hospital Ledge S34	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020
5058.8000	S18/2	45-10-14	67-11-58	Brays Point S18/2	Year Round	Red	0.3m Spar-Conical Plastic (ORT)	225 kg Concrete anchor	14 mm	13	3	2020

# Saint John Harbour

LLNO	Aid ID	Latitude	Longitude	Aid Name	Service	Colour	Aid Type	Anchor Wt	Mooring Size	Mooring Length	Mooring Cycle	g Change Date
100.2000	JD	45-15-43.4	66-3-26.6	Lower Cove Cautionary Light Buoy JD	Year Round	Yellow	1.25m Plastic Can	1000 kg Serrated anchor	20 mm	18	3	2021
102.1800	J18	45-16-13.3	66-4-17.9	Hillyards Reef Light Buoy J18	Year Round	Red	GDI 1.22m Conical	1820 kg Concrete anchor	26 mm	27	3	2021
102.1900	J19	45-16-8.8	66-4-23	Navy Island Light Buoy J19	Year Round	Green	1.5m SB 98 Plastic	1000 kg Serrated anchor	20 mm	27	3	2020
106.1000	JC10	45-15-33.4	66-2-43.8	Courtenay Bay Light Buoy JC10	Year Round	Red	0.6m SB 60 Spar Conical Pl	600 kg Serrated anchor	26 mm	18	3	2021
108.1600	JC16	45-15-52.6	66-2-32.6	Courtenay Bay Light Buoy JC16	Year Round	Red	0.6m SB 60 Spar Conical Pl	600 kg Serrated anchor	20 mm	18	3	2021
110.0000	JC20	45-16-11.15	66-2-23.51	Courtenay Basin Light Buoy JC20	Year Round	Red	2m Balmoral Ele. Plas.	1000 kg Serrated anchor	32 mm	15	3	2021
5101.3500	J5	45-14-28.4	66-2-51.9	Partridge Island J5	Year Round	Green	GDI 1.22m Can	1000 kg Serrated anchor	26 mm	41	3	2020
5102.1000	JC1	45-15-.5	66-3-1.9	Courtenay Bay Channel JC1	Year Round	Green	GDI 1.22m Can	800 kg Serrated anchor	32 mm	18	3	2020
5102.1600	J16	45-15-27.8	66-3-18.9	Round Reef J16	Year Round	Red	1.6m Coastal Conical	1000 kg Serrated anchor	32 mm	27	3	2021
5103.3000	JC3	45-15-6.5	66-3-1.1	Courtenay Bay JC3	Year Round	Green	1.25m Plastic Can	600 kg Serrated anchor	26 mm	18	3	2021
5105.7000	JC7	45-15-23.6	66-2-57.5	Courtenay Bay JC7	Year Round	Green	0.6m SB 60 Spar Can Pl	600 kg Serrated anchor	20 mm	18	3	2021
5106.1100	JC11	45-15-34.7	66-2-50.8	Courtenay Bay JC11	Year Round	Green	0.6m SB 60 Spar Can Pl	900 kg Concrete anchor	20 mm	18	3	2021
5106.1300	JC13	45-15-42.7	66-2-46	Courtenay Bay JC13	Year Round	Green	0.6m SB 60 Spar Can Pl	900 kg Concrete anchor	20 mm	13	3	2021
5108.1800	JC18	45-16-1.8	66-2-27.96	Courtenay Bay JC18	Year Round	Red	0.6m SB 60 Spar Conical Pl	600 kg Serrated anchor	26 mm	13	3	2020
5110.5000	JC21	45-16-21.8	66-2-39.6	Courtenay Basin Green Spar JC21	Year Round	Green	0.7m Ice Conical	600 kg Serrated anchor	20 mm	18	3	2021
105.8000	JC8	45-15-23.6	66-2-47.1	Courtenay Bay Turn Light Buoy JC8	Year Round	Red	0.6m SB 60 Spar Conical Pl	600 kg Serrated anchor	26 mm	41	3	2021