

Travaux publics et Services gouvernementaux Canada

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

See	Section	2.	2
Voir	Section	2	.2

STANDARD REQUEST FOR BID INVITATION À SOUMISSIONNER - STANDARD

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-120001/H.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-120001/H.

Solicitation No N° de la demande	Amendment No N° de modification
5P420-22-0288/A	002

Solicitation closes – La demande prend fin :	File No N° de dossier
at – à	5P420-22-0288
14h MDT - HAR	
on – le	
16 May 2023 16 mai 2023	

	Page/ N° de page
	N° de page
Date of Solicitation – Date	de la demande
May 10, 2023	
Address inquiries to – Adr	esser toute demande de
renseignement à :	
Andrea McGraw-Alcock	
(587) 436-5908	
andrea.mcgraw-alcock@pc.go	<u>c.ca</u>
Destination	
See Annex B	
Voir Annexe B	

No of

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadians funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur
Telephone No N° de téléphone
Facsimile No N° de télécopieur
Name and title of person authorized to sign on behalf of supplier
(type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur
(caractère d'impression)
Signature : Date :

Solicitation No.:Amendment No.:Contracting Authority:5P420-22-0288/A002Andrea McGraw-Alcock

Client Reference No.: Title:

n/a Office Seating, Parks Canada Collections and Curatorial Centre, QC

Amendment 002

This amendment is raised to:

A. Answer questions from bidders; and

B. Replace Annex A – Requirement.

The Requirement at Annex A of solicitation 5P420-22-0288/A, titled "Office Seating, Parks Canada Collections and Curatorial Centre, QC" is deleted in its entirety and replaced with the Requirement included herein.

Bidders <u>MUST</u> submit their bids in accordance with the Requirement included herein. Bids that are not submitted in accordance with this amendment will be deemed non-responsive to the solicitation requirements.

A. Questions and Answers

Q1. For Item A2 Rotary Stools:

The seat height on the old chair builder (which is being used for this bid) says "seat height includes range from 23" to 33" which would require the use of a 10" cylinder which does not support the use of seat depth adjustment or seat tilt due to stability issues.

The seat height requirement under the new refreshed SA chair builder indicates "seat height to have min 8" adjustment within a range of 20-35".

Please confirm that the new SA stool seat height requirement is ok to use.

A1. Yes, please use the new SA requirements (see replacement Annex A below).

C. Replace Annex A – Requirement

The Requirement at Annex A of solicitation 5P420-22-0288/A, titled "Office Seating, Parks Canada Collections and Curatorial Centre, QC" is deleted in its entirety and replaced with the Requirement included herein.

Bidders <u>MUST</u> submit their bids in accordance with the Requirement included herein. Bids that are not submitted in accordance with this amendment will be deemed non-responsive to the solicitation requirements.

Delete **Annex A - Requirement** in its entirety and replace with the following:

INSERT

Solicitation No.: 5P420-22-0288/A

Amendment No.: 002

Contracting Authority: Andrea McGraw-Alcock

Client Reference No.:

Title:
Office Seating, Parks Canada Collections and Curatorial Centre, QC

ANNEX A - REQUIREMENT

Table A1: Rotary Chair



CHAI	R TYPE:	Quantity Required: 36
* RO	TARY CHAIR	30
☐ RO	TARY STOOL	
Instruc	tions to Users:	
•	Choose the attributes	s (□→*) that must be included for
	your requirement. Us	e 1 builder per type of chair.
•	Note: if more than 1	"╬ " is chosen then all attributes will
	he considered econs	table for the requirement

	Criteria	Requirement Choice	ces		Annex A reference:
	Environmental		* All products meet a minimum of ANSI/BIFMA e3 minimum Level® 2 * All plastic components are recyclable at the end of their life.		
	Weight Capacity	* Standard (up to 2	* Standard (up to 275 lbs)		1.5.7
	Usage	* Single shift	□ 24/7 (3 conti	nuous working shifts, 7 days a week)	1.5.2 1.7.1.3
Α	Headrest	□No	* Yes (adjustable)	☐ No preference	2.1.13
В	Backrest Height	* Standard	☐ High	☐ No preference	2.1.7
С	Lumbar Support	☐ Fixed position	Adjustable (by user)	☐ Self-Adjusting mechanism ☐ No preference	2.1.6
D	Armrests	* Adjustable	Height AdjustmentLateral AdjustmentFully Articulating	Armrest Style: ★ T-arm (DD) → ★ Fixed ★ Adjustable □ Cantilever	2.1.10
		Fixed	\rightarrow	☐ T-arm ☐ Cantilever ☐ Loop ☐ No preference	
		* Adjustable		, ,	
E	Seat Depth	☐ Fixed position	☐ Shallow ☐ Medium	□ Deep	2.1.2
F	Seat Width	* Standard based of	Standard based on weight capacity chosen above		2.1.3 2.2.2
	Cook Heimbt	Rotary Chair	* Adjustable – standard range		2.1.4
G	Seat Height	Rotary Stool	Rotary Stool Adjustable		
١	Till Machaniana	Rotary Chair	☐ Multifunction ☐ S * No preference	ynchro Tilt Unison Tilt Weight Sensitive	1.5.11 2.1.8
Н	Tilt Mechanism	Rotary Stool		ynchro Tilt ☐ Unison Tilt ☐ Weight Sensitive ☐ preference	2.1.0
1	Seat Angle and Backrest-to-seat Angle	Adjustable and lock	Adjustable and lockable (not applicable to weight sensitive tilt mechanisms)		2.1.5 2.1.9
J	Casters	for use on: * ca	rpet		2.1.11
L	Footrest (rotary stools only)	☐ integrated fixed h	eight 🔲 adjustable he	ight	2.1.12
		Backrest:	♣ Upholstery □ Non-upholstery (ie. flexible plastic) ♣ Mesh Material		
Fii	nishes	Seat:	☐ Upholstery ☐ No	n-upholstery (ie. flexible plastic) * Mesh Material	2.1.15
		Base Frame:	☐ Metal 🗱 Plastic		
	Labelling and Instructions	* All chairs must be provided with labelling and instructions		1.3.2	
	Accessibility	 Not applicable □ Adjustment levers to be equipped with brail 		1.6.3	
	Additional Criteria				

Solicitation No.: 5P420-22-0288/A

Amendment No.: 002

Contracting Authority: Andrea McGraw-Alcock

Client Reference No.:

Title: Office Seating, Parks Canada Collections and Curatorial Centre, QC

Table A2: Rotary Stools



CHAI	IR TYPE:	Quantity Required:
□ ROTARY CHAIR * ROTARY STOOL		20
Instruc	ctions to Users:	
•	 Choose the attributes (□→*) that must be included for 	
•	your requirement. Use 1 builder per type of chair. Note: if more than 1 "*" is chosen then all attributes will be considered acceptable for the requirement.	

	Criteria	Requirement Choice	ces		Annex A reference:	
	Environmental	* All products meet a minimum of ANSI/BIFMA e3 minimum Level® 2 * All plastic components are recyclable at the end of their life.			1.2.8	
	Weight Capacity		Standard (up to 275 lbs) Large-occupant (275+ lbs up to 400 lbs)			
	Usage	* Single shift	□ 24/7 (3 contin	nuous working shifts, 7 days a week)	1.5.2 1.7.1.3	
Α	Headrest	* No	Yes (adjustable)	No preference	2.1.13	
В	Backrest Height	☐ Standard	☐ High	No preference	2.1.7	
С	Lumbar Support	☐ Fixed position	Adjustable (by user)	☐ Self-Adjusting mechanism ☐ No preference	2.1.6	
			☐ Height Adjustment	Armrest Style:		
		☐ Adjustable	☐ Lateral Adjustment	☐ T-arm (DD) → ☐ Fixed ☐ Adjustable		
D	Armrests		☐ Fully Articulating	□ Cantilever	2.1.10	
		Fixed	\rightarrow	☐ T-arm ☐ Cantilever ☐ Loop ☐ No preference		
	0 15 11	* Adjustable		· · · · · ·	2.1.2	
E	Seat Depth	☐ Fixed position	☐ Shallow ☐ Medium	☐ Deep	2.1.2	
F	Seat Width	* Standard based of	on weight capacity choser	n above	2.1.3 2.2.2	
•	Seat Height	Rotary Chair	☐ Adjustable – standar	d range ☐ Adjustable - low range	2.1.4	
G		Rotary Stool	* Adjustable		2.1.4	
н	Tilt Mechanism	Rotary Chair	☐ Multifunction ☐ S No preference	ynchro Tilt Unison Tilt Weight Sensitive 🗆	1.5.11 2.1.8	
П		Rotary Stool		ynchro Tilt Unison Tilt Weight Sensitive Doreference	2.1.0	
-	Seat Angle and Backrest-to-seat Angle	Adjustable and lock	able (not applicable to we	ight sensitive tilt mechanisms)	2.1.5 2.1.9	
J	Casters	for use on:	rpet 🗱 hard surfaces		2.1.11	
L	Footrest (rotary stools only)	☐ integrated fixed h	neight 🗱 adjustable he	ight	2.1.12	
	, ,	Backrest:	# Upholstery 🔲 No	n-upholstery (ie. flexible plastic) * Mesh Material		
	Finishes	Seat:	# Upholstery 🔲 No	n-upholstery (ie. flexible plastic) * Mesh Material	2.1.15	
		Base Frame:	* Metal * Plastic		1	
	Labelling and Instructions	* All chairs must be	e provided with labelling a	nd instructions	1.3.2	
	Accessibility	♣ Not applicable ☐ Adjustment levers to be equipped with brail ☐		1.6.3		
	Additional Criteria					

Solicitation No.: 5P420-22-0288/A Amendment No.: 002


Contracting Authority: Andrea McGraw-Alcock

Client Reference No.:

Title:

Office Seating, Parks Canada Collections and Curatorial Centre, QC

Table A3: Side Chair - Meeting Room



Side Chair

Rotary Guest Chair

CHAIR TYPE SIDE CHAIR ROTARY GUEST CHAIR Instructions to Users: Choose the attributes (□→*) that must be included for

- Choose the attributes (□→*) that must be included for your requirement. Use 1 builder per type of chair.
 - Note: if more than 1 "*" is chosen then all attributes will be considered acceptable for the requirement.

Crite	ria	Requirement Choices			Annex A reference:
	Environmental	* All products meet a minimum of ANSI/BIFMA e3 minimum Level® 2 * All plastic components are recyclable at the end of their life.			1.2.8
В	Backrest Height	* Standard as fixed based on	chair type chosen above		2.3.7 2.3.8
С	Lumbar Support	☐ Yes (fixed position) * N	lo 🔲 No preference		2.3.6
D	Armrests	* Yes (fixed position) →	Style: ☐ Cantilever ☐ T-arm ☐ C * No preference	Closed or Loop	2.3.10
		□ No			
E &F	Seat Width & Depth	* Standard as fixed			2.3.2
G	Seat Height	,	 Fixed (side chair OR rotary guest chair) ☐ Height Adjustable (rotary guest chair only) 		
н	Leg Support	Side Chair: 🗱 4 Post Legs	☐ Cantilever ☐ Sled →	☐ Glides * Casters	2.3.11
<u></u>	Log dapport	Rotary Guest Chair: ☐ 4 star base ☐ 5 star base → ☐ Glides ☐ Casters			
	Backrest-to-seat Angle	* Fixed angle			2.3.9
ı	Seat Angle (rotary guest chair only)	☐ Fixed ☐ Adjustable with tilt mechanis	sm		2.3.4
	Stacking	★ Stacking (vertical) □ Ne	esting (horizontal)	☐ No preference	2.3.12
Finishes		Backrest:	* Upholstery ☐ Wood ☐ Plastic ☐ Other: <u>(specify)</u>	c * Mesh	
		Seat:	* Upholstery ☐ Wood ☐ Plastic ☐ Other: (specify)	c * Mesh	2.3.13
		Base Frame:	* Plastic * Wood * Metal (ie.	wired)	
A	dditional Criteria				•

Solicitation No.: 5P420-22-0288/A

Amendment No.: 002


Contracting Authority: Andrea McGraw-Alcock

Client Reference No.:

Title:

Office Seating, Parks Canada Collections and Curatorial Centre, QC

Table A4: Side Chair - Private Offices and Quiet Rooms



Side Chair Rotary Guest Chair

CHAIR TYPE

SIDE CHAIR
ROTARY GUEST CHAIR

Instructions to Users:

- Choose the attributes $(\Box \rightarrow *)$ that must be included for your requirement. Use 1 builder per type of chair.
- Note: if more than 1 "*" is chosen then all attributes will be considered acceptable for the requirement.

Crite	eria	Requirement Choices			Annex A reference	
	Environmental	* All products meet a minimum of ANSI/BIFMA e3 minimum Level® 2 * All plastic components are recyclable at the end of their life.			1.2.8	
В	Backrest Height	* Standard as fixed based on	chair type chosen above		2.3.7 2.3.8	
С	Lumbar Support	☐ Yes (fixed position) * N	lo 🔲 No preference		2.3.6	
D	Armrests	* Yes (fixed position)	Style: Cantilever T-arm C * No preference	Closed or Loop	2.3.10	
		□ No				
E &F	Seat Width & Depth	* Standard as fixed			2.3.2	
G	Seat Height	,	 Fixed (side chair OR rotary guest chair) ☐ Height Adjustable (rotary guest chair only) 			
н	Leg Support	Side Chair: * 4 Post Legs	☐ Cantilever ☐ Sled →	☐ Glides * Casters	2.3.11	
	20g Gapport	Rotary Guest Chair: 4 star b	pase ☐ 5 star base →	☐ Glides ☐ Casters		
	Backrest-to-seat Angle	* Fixed angle			2.3.9	
I	Seat Angle (rotary guest chair only)	☐ Fixed ☐ Adjustable with tilt mechanis	sm		2.3.4	
	Stacking	☐ Stacking (vertical) ☐ Ne	esting (horizontal)	* No preference	2.3.12	
Finishes Se		Backrest:	* Upholstery ☐ Wood ☐ Plastic ☐ Other: <u>(specify)</u>	c * Mesh		
		Seat:	* Upholstery □ Wood □ Plastic □ Other: <u>(specify)</u>	c 🗱 Mesh	2.3.13	
		Base Frame:	* Plastic * Wood * Metal (ie.	wired)		
A	dditional Criteria					

ALL OTHER TERMS & CONDITIONS REMAIN UNCHANGED.